UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

EXPLO Systems, Incorporated
Camp Minden, Webster Parish, Louisiana

RCRA IDs: LAR000032607 and LAR000072223

Photographs of Environmental Sampling
Conducted on: April 17th and 18th, 2013

EPA Enforcement Officers:
Paul James and Charles Barnes

Camera: Panasonic Lumix DMC-ZR3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1038 Direction: West

Subject: Noted dumpster 4034 was uncovered and was leaking from rear door (red arrow). Noted drainage ditch adjacent to dumpster (blue arrow).

Photo #: S-01

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1038 Direction: Down

Subject: Soil sample location SS-01 from below dumpster 4034 rear door, where a leak was noted dripping onto earthen ground.

Photo #: S-02

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1040 Direction: Down

Subject: Soil sample location SS-01 from below dumpster 4034 rear door, where a leak was noted dripping onto earthen ground. Collection of soil sample SS-01.

Photo #: S-03

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 10:42 Direction: Down

Subject: Soil sample location SS-01 from below dumpster 4034 rear door, where a leak was noted dripping onto earthen ground. Collection of soil sample SS-01.

Photo #: S-04

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1052 Direction: Down

Subject: Soil sample location SS-01 from below dumpster 4034 rear door, where a leak was noted dripping onto earthen ground. Tagging of soil sample SS-01.

Photo #: S-05

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1114 Direction: East

Subject: Noted crack in secondary containment at red water concentration area on west side of Building 1619 (red arrow).

Photo #: S-06

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1115 Direction: Down

Subject: Noted crack in concrete berm at red water concentration area on west side of Building 1619 (red arrow).

Photo #: S-07

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1131 Direction: Down

Subject: Noted crack in concrete berm at red water concentration area on west side of Building 1619 . Collected soil sample SS-02 beneath crack.

Photo #: S-08

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0913 Direction: South

Subject: Two roll off boxes containing fuse conduits, fuse wells, and steel shavings from dismantling of bombs.

Photo #: S-09

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1326 Direction: Down

Subject: Roll off box containing fuse conduits, fuse wells, and steel shavings from dismantling of bombs.

Photo #: S-10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1326 Direction: Down

Subject: Roll off box containing fuse conduits and fuse wells from bombs.

Photo #: S-11

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1327 Direction: Down

Subject: Roll off box with fuse conduits and fuse wells from bombs.

Photo #: S-12

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1327 Direction: Down

Subject: Roll off box with fuse conduits and fuse wells from bombs.

Photo #: S-13

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1329 Direction: Down

Subject: Roll off box with steel shavings from dismantling of bombs.

Photo #: S-14

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1417 Direction: Northwest

Subject: Soil sample location SS-03 between roll off box staging area south end of Building 1617 and drainage ditch. Red arrow marks sample location.

Photo #: S-15

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1417 Direction: Down

Subject: Soil sample location SS-03 between roll off box staging area south end of Building 1617 and drainage ditch.

Photo #: S-16

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1424 Direction: Down

Subject: Soil sample location SS-03 between roll off box staging area south end of Building 1617 and drainage ditch.

Photo #: S-17

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1447 Direction: West

Subject: Soil sample location SS-04 in drainage ditch adjacent to road where super sacks of M-6 were stored, east side of Building 1617. Red arrow marks sample location.

Photo #: S-18

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1451 Direction: Down

Subject: Soil sample location SS-04 in drainage ditch adjacent to road where super sacks of M-6 were stored, east side of Building 1617.

Photo #: S-19

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1458 Direction: Down

Subject: Soil sample location SS-05 adjacent to exterior door from east side of Building 1617, where the crusher line is present. Noted M-6 propellant on the ground (red arrows).

Photo #: S-20

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1459 Direction: Down

Subject: Soil sample location SS-05 adjacent to exterior door from east side of Building 1617, where the crusher line is present. Noted M-6 propellant on the ground (red arrows).

Photo #: S-21

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1502 Direction: Down

Subject: Soil sample location SS-05 adjacent to exterior door from east side of Building 1617, where the crusher line is present. Sample location is marked by red arrow.

Photo #: S-22

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1502 Direction: West

Subject: Soil sample location SS-05 adjacent to exterior door from east side of Building 1617, where the crusher line is present. Sample location is marked by red arrow.

Photo #: S-23

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 17, 2013 Time: 1506 Direction: Down

Subject: Soil sample location SS-05 adjacent to exterior door from east side of Building 1617, where the crusher line is present. Samples collected in jars, waiting tags.

Photo #: S-24

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0922 Direction: East

Subject: West end of Building/Bunker 1631.

Photo #: S-25

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0922 Direction: Up

Subject: Pitted concrete ceiling above the Open Burn Open Detonation Area (OBOD) inside of Building/Bunker 1631.

Photo #: S-26

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0923 Direction: North and Down

Subject: Inside of Building/Bunker 1631. Noted reactive material/waste (D003) being stored. Photo #: S-27

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0923 Direction: North-Northeast

Subject: Inside of Building/Bunker 1631. Noted reactive material/waste (D003) being stored. Photo #: S-28

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0923 Direction: North-Northeast

Subject: Inside of Building/Bunker 1631. Noted reactive material/waste (D003) being stored. Photo #: S-29

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0924 Direction: North-Northwest

Subject: Inside of Building/Bunker 1631. Noted reactive material/waste (D003) being stored. Photo #: S-30

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0924 Direction: West

Subject: Open Burn Open Detonation Area inside of Building/Bunker 1631.

Photo #: S-31

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0924 Direction: Up and West

Subject: Pitted concrete ceiling above the Open Burn Open Detonation Area (OBOD) inside of Building/Bunker 1631.

Photo #: S-32

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0937 Direction: East

Subject: Soil sample SS-06 located on the west side of Building/Bunker 1631 (red arrow). Photo #: S-33

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0937 Direction: Down

Subject: Soil sample SS-06 located on the west side of Building/Bunker 1631 (red arrow). Samples are in jars waiting for tags.

Photo #: S-34

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0939 Direction: West

Subject: Soil sample SS-07 located inside of Building/Bunker 1631 with the OBOD sand pile (red arrow).

Photo #: S-35

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0950 Direction: North-Northwest

Subject: Surface water sample location WS-01, east roll off box staging area and south of Building 1617, within drainage ditch. Red arrow marks sample location.

Photo #: S-36

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0950 Direction: Down

Subject: Surface water sample location WS-01, east roll off box staging area and south of Building 1617, within drainage ditch. Red oval marks sample location.

Photo #: S-37

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0953 Direction: Northwest

Subject: Surface water sample location WS-01, east roll off box staging area and south of Building 1617, within drainage ditch.

Photo #: S-38

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 0953 Direction: Down

Subject: Surface water sample location WS-01, east roll off box staging area and south of Building 1617, within drainage ditch.

Photo #: S-39

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL PHOTOGRAPHIC LOG

PHOTOGRAPHERS: Paul James and Charles Barnes

FACILITY: Explo Systems, Inc.
Camp Minden, Webster Parish, Louisiana
RCRA IDs: LAR000032607 & LAR000072223

Date of Photograph: APR 18, 2013 Time: 1054 Direction: South

Subject: April 18th, 2013 split samples relinquished to Mr. Callahan of Explo Systems.

Photo #: S-40

Appendix B

Satellite Images of Environmental Sampling Locations

Conducted on: April 17th and 18th, 2013

Facility: EXPLO Systems, Incorporated

Location: Camp Minden, Webster Parish, Louisiana

RCRA IDs: LAR000032607 and LAR000072223


SS-06 (32.550639°, -93.413164°)
SS-07 (32.550668°, -93.413048°)
SS-04 (32.549613°, -93.411047°)
SS-02 (32.549658°, -93.410373°)
SS-05 (32.549500°, -93.411171°)
WS-01 (32.549044°, -93.411116°)
SS-03 (32.549075°, -93.411160°)
SS-01 (32.548508°, -93.409135°)
© 2013 Google
Google earth


SS-01 (32.548508°, -93.409135°)
© 2013 Google
Google earth


SS-02 (32.549658°, -93.410373°)
Google earth


SS-04 (32.549613°, -93.411047°)
SS-05 (32.549500°, -93.411171°)
SS-03 (32.549075°, -93.411160°)
WS-01 (32.549044°, -93.411116°)
Google earth


SS-07 (32.550668°, -93.413048°)
SS-06 (32.550639°, -93.413164°)
Google earth

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Laboratory

Environmental Services Branch
10625 Fallstone Road, Houston, TX 77099
Phone: (281)983-2100 Fax: (281)983-2248

Final Analytical Report

Site Name ----------Explo

Sample Collection Date(s)-- 04/17/13 - 04/18/13

Contact---------- Paul James (6EN-HC)

Report Date---------- 05/23/13

Project #---------- 13RCRA092

Work Order(s)---------- 1304030
1304031

Analyses included in this report:

ABN 8270 Routine List
Metals ICP-MS 6020
Solids, Dry Weight
Metals ICP 6010B
Metals Mercury 7470A/7471A

Report Narrative

Semi-volatiles:

Sample 1304031-02 was re-extracted due to several surrogates failing low. The re-extraction was performed within holding time and all QC passes. Only the re-extraction results are reported.

The surrogate 1,2-Dichlorobenzene-d4 fails low in several samples due to possible over concentration of the extract. Reporting limits (RLs) were raised for the more volatile analytes (Dichlorobenzenes, 1,2,4-Trichlorobenzene, Hexachloroethane, and Hexachlorobutadiene) to ensure non-detects are accurate. Absence or presence at the lower RL could not be verified.

Solid Batch B3D2403: There were several failures in the MS/MSD. Of those only 3,3'-Dichlorobenzidine is significant. This compound did not recover and is rejected in source sample 1304030-01. The other failures were not present in the source sample.

Liquid Batch B3D2216: No extra volume was provided for performing the MS/MSD. A BS/BSD was performed instead.

An isomer of Trinitrotoluene was detected in several samples as a tentatively identified compound. The estimated concentrations are as follows:

Report Narrative (cont'd)

1304030-01 88,000 ug/Kg
1304030-02 100,000 ug/Kg
1304030-05 33,000 ug/Kg

Metals: Mercury:

Batch B3E0101: MSD1: The RPD is greater than the acceptance limit. Mercury spike recovery is adequate and is not flagged; no bias is placed on source result.

Metals ICP-MS:

Batch B3D3008: MS1/MSD1: The spike recoveries for antimony and lead are outside the acceptance limits; the source results are flagged and are estimates.

Metals ICP:

Batch: B3D3005: MS1/MSD1: The spike recoveries for aluminum and iron are outside the acceptance limits; the source results are flagged and are estimates.

Batch: B3D3007: MS1/MSD1: The spike recoveries for barium, zinc, and manganese are outside the acceptance limits; the source results are flagged and are estimates.

The RPD for manganese is greater than the acceptance limits. Source is flagged as estimated due to failures.

The sample results for aluminum and iron exceed the spike added concentrations by a factor of four or more and can not be reliably calculated.

Standard procedures for quality assurance and quality control were followed in the analysis and reporting of the sample results. The results apply only to the samples tested. This final report should only be reproduced in full.

Reporting limits are adjusted for sample size and matrix interference.

Report Approvals:

Richard McMillin
Region 6 Laboratory Manager

David Neleigh
Region 6 Laboratory Branch Chief

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Environmental Services Branch Laboratory

10625 Fallstone Road
Houston, Texas 77099

Sample Receipt and Disposal

Site Name: Explo Project Number: 13RCRA092

Data Management Coordinator: Christy Warren

_____ / / _____

Data Management Coordinator Signature Date

Date Transmitted: _____/_____/_____

Please have the U.S. EPA Project Manager/Officer call the Data Management Coordinator at 3-2137 for any comments or questions.

Please sign and date this form below and return it with any comments to:

Christy Warren
Data Management Coordinator
Region 6 Laboratory
6MD-HS

_____/_____/_____

Received by and Date

Comments:

The laboratory routinely disposes of samples 90 days after all analyses have been completed. If you have a need to hold these samples in custody longer than 90 days, please sign below.

_____ _____

Signature Date

Please provide a reason for holding:

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Sample Type	Date Collected	Date Received
1	1304030-01	Solid	4/17/13 10:40	04/18/13 09:45
2	1304030-02	Solid	4/17/13 11:15	04/18/13 09:45
3	1304030-03	Solid	4/17/13 14:15	04/18/13 09:45
4	1304030-04	Solid	4/17/13 14:45	04/18/13 09:45
5	1304030-05	Solid	4/17/13 15:00	04/18/13 09:45
8	1304030-06	Solid	4/17/13 14:25	04/18/13 09:45
6	1304031-01	Solid	4/18/13 9:25	04/19/13 12:00
7	1304031-02	Solid	4/18/13 9:35	04/19/13 12:00
9	1304031-03	Liquid	4/18/13 10:50	04/19/13 12:00

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-01 **Station ID: 1**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.252g
%Solids: 76.03

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	5,030		52.3	38-101	04/24/13	04/25/13
Phenol-d5	6,200		64.5	42-105	"	"
2-Chlorophenol-d4	5,380		55.9	40-100	"	"
1,2-Dichlorobenzene-d4	2,750		42.8	37-100	"	"
Nitrobenzene-d5	3,950		61.6	42-108	"	"
2-Fluorobiphenyl	4,870		75.9	51-103	"	"
2,4,6-Tribromophenol	10,300		108	55-115	"	"
Terphenyl-d14	5,410		84.3	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		642	1	04/24/13	04/25/13
Phenol (108-95-2)	U		642	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		642	"	"	"
2-Chlorophenol (95-57-8)	U		642	"	"	"
1,3-Dichlorobenzene (541-73-1)	U		642	"	"	"
1,4-Dichlorobenzene (106-46-7)	U		642	"	"	"
Benzyl alcohol (100-51-6)	U		642	"	"	"
1,2-Dichlorobenzene (95-50-1)	U		642	"	"	"
2-Methylphenol (95-48-7)	U		642	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		642	"	"	"
Acetophenone (98-86-2)	U		642	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		642	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		642	"	"	"
Hexachloroethane (67-72-1)	U		642	"	"	"
Nitrobenzene (98-95-3)	U		642	"	"	"
Isophorone (78-59-1)	U		642	"	"	"
2-Nitrophenol (88-75-5)	U		642	"	"	"
2,4-Dimethylphenol (105-67-9)	U		642	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		642	"	"	"
Benzoic acid (65-85-0)	U		1,280	"	"	"
2,4-Dichlorophenol (120-83-2)	U		642	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U		642	"	"	"
Naphthalene (91-20-3)	U		257	"	"	"
4-Chloroaniline (106-47-8)	U		642	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-01 **Station ID: 1**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.252g
%Solids: 76.03

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U		642	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		642	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		642	"	"	"
2-Methylnaphthalene (91-57-6)	U		257	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		642	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		642	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		642	"	"	"
2-Chloronaphthalene (91-58-7)	U		642	"	"	"
1,1'-Biphenyl (92-52-4)	U		642	"	"	"
2-Nitroaniline (88-74-4)	U		1,030	"	"	"
Dimethyl phthalate (131-11-3)	U		642	"	"	"
Acenaphthylene (208-96-8)	U		257	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		642	"	"	"
3-Nitroaniline (99-09-2)	U		1,030	"	"	"
Acenaphthene (83-32-9)	U		257	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,570	"	"	"
4-Nitrophenol (100-02-7)	U		1,670	"	"	"
Dibenzofuran (132-64-9)	U		642	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		642	"	"	"
Fluorene (86-73-7)	U		257	"	"	"
Diethyl phthalate (84-66-2)	U		642	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		642	"	"	"
4-Nitroaniline (100-01-6)	U		1,030	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,570	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		642	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		642	"	"	"
Hexachlorobenzene (118-74-1)	U		642	"	"	"
Atrazine (1912-24-9)	U		642	"	"	"
Pentachlorophenol (87-86-5)	U		642	"	"	"
Phenanthrene (85-01-8)	U		257	"	"	"
Anthracene (120-12-7)	U		257	"	"	"
Carbazole (86-74-8)	U		642	"	"	"
Di-n-butyl phthalate (84-74-2)	U		642	"	"	"
Fluoranthene (206-44-0)	U		257	"	"	"
Pyrene (129-00-0)	U		257	"	"	"
Butyl benzyl phthalate (85-68-7)	U		642	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-01 **Station ID: 1**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.252g
%Solids: 76.03

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		642	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U	R	642	"	"	"
Chrysene (218-01-9)	U		642	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		642	"	"	"
Di-n-octyl phthalate (117-84-0)	U		642	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		642	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		642	"	"	"
Benzo (a) pyrene (50-32-8)	U		642	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		642	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		642	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		642	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304030-01 **Station ID: 1**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.53g
%Solids: 76.03

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**3,700**		12.4	1	04/29/13	05/16/13
Barium (7440-39-3)	**293**	**J**	1.2	"	"	"
Beryllium (7440-41-7)	U		0.6	"	"	"
Cadmium (7440-43-9)	**0.6**		0.6	"	"	"
Calcium (7440-70-2)	**1,620**		18.6	"	"	"
Chromium (7440-47-3)	**11.1**		1.2	"	"	"
Cobalt (7440-48-4)	U		2.5	"	"	"
Copper (7440-50-8)	**9.5**		2.5	"	"	"
Iron (7439-89-6)	**5,710**		3.1	"	"	"
Magnesium (7439-95-4)	**226**		18.6	"	"	"
Manganese (7439-96-5)	**137**	**J**	0.6	"	"	"
Nickel (7440-02-2)	**2.8**		2.5	"	"	"
Potassium (7440-09-7)	**366**		124	"	"	"
Silver (7440-22-4)	U		1.2	"	"	"
Sodium (7440-23-5)	**255**		62.0	"	"	"
Vanadium (7440-62-2)	**11.5**		2.5	"	"	"
Zinc (7440-66-6)	**116**	**J**	2.5	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304030-01 **Station ID: 1**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.177g
%Solids: 76.03

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	U		0.05	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304030-01 **Station ID: 1**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.53g
%Solids: 76.03

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	**0.7**	**J**	0.6	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**6.5**		0.6	"	"	"
Lead (7439-92-1)	**56.6**	**J**	0.6	"	"	"
Selenium (7782-49-2)	U		0.6	"	"	"
Thallium (7440-28-0)	U		0.6	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.203g
%Solids: 84.45

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	4,330		49.7	38-101	04/24/13	04/25/13
Phenol-d5	5,660		65.1	42-105	"	"
2-Chlorophenol-d4	4,670		53.6	40-100	"	"
1,2-Dichlorobenzene-d4	2,050		35.4 #	37-100	"	"
Nitrobenzene-d5	3,350		57.8	42-108	"	"
2-Fluorobiphenyl	4,380		75.5	51-103	"	"
2,4,6-Tribromophenol	9,090		104	55-115	"	"
Terphenyl-d14	5,160		89.0	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		580	1	04/24/13	04/25/13
Phenol (108-95-2)	U		580	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		580	"	"	"
2-Chlorophenol (95-57-8)	U		580	"	"	"
1,3-Dichlorobenzene (541-73-1)	U	RL	1,740	"	"	"
1,4-Dichlorobenzene (106-46-7)	U	RL	1,740	"	"	"
Benzyl alcohol (100-51-6)	U		580	"	"	"
1,2-Dichlorobenzene (95-50-1)	U	RL	1,740	"	"	"
2-Methylphenol (95-48-7)	U		580	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		580	"	"	"
Acetophenone (98-86-2)	U		580	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		580	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		580	"	"	"
Hexachloroethane (67-72-1)	U	RL	1,740	"	"	"
Nitrobenzene (98-95-3)	U		580	"	"	"
Isophorone (78-59-1)	U		580	"	"	"
2-Nitrophenol (88-75-5)	U		580	"	"	"
2,4-Dimethylphenol (105-67-9)	U		580	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		580	"	"	"
Benzoic acid (65-85-0)	U		1,160	"	"	"
2,4-Dichlorophenol (120-83-2)	U		580	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U	RL	1,740	"	"	"
Naphthalene (91-20-3)	U		232	"	"	"
4-Chloroaniline (106-47-8)	U		580	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.203g
%Solids: 84.45

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U	RL	1,740	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		580	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		580	"	"	"
2-Methylnaphthalene (91-57-6)	U		232	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		580	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		580	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		580	"	"	"
2-Chloronaphthalene (91-58-7)	U		580	"	"	"
1,1'-Biphenyl (92-52-4)	U		580	"	"	"
2-Nitroaniline (88-74-4)	U		928	"	"	"
Dimethyl phthalate (131-11-3)	U		580	"	"	"
Acenaphthylene (208-96-8)	U		232	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		580	"	"	"
3-Nitroaniline (99-09-2)	U		928	"	"	"
Acenaphthene (83-32-9)	U		232	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,320	"	"	"
4-Nitrophenol (100-02-7)	U		1,510	"	"	"
Dibenzofuran (132-64-9)	U		580	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		580	"	"	"
Fluorene (86-73-7)	U		232	"	"	"
Diethyl phthalate (84-66-2)	U		580	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		580	"	"	"
4-Nitroaniline (100-01-6)	U		928	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,320	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		580	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		580	"	"	"
Hexachlorobenzene (118-74-1)	U		580	"	"	"
Atrazine (1912-24-9)	U		580	"	"	"
Pentachlorophenol (87-86-5)	U		580	"	"	"
Phenanthrene (85-01-8)	U		232	"	"	"
Anthracene (120-12-7)	U		232	"	"	"
Carbazole (86-74-8)	U		580	"	"	"
Di-n-butyl phthalate (84-74-2)	U		580	"	"	"
Fluoranthene (206-44-0)	U		232	"	"	"
Pyrene (129-00-0)	U		232	"	"	"
Butyl benzyl phthalate (85-68-7)	U		580	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.203g
%Solids: 84.45

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		580	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U		580	"	"	"
Chrysene (218-01-9)	U		580	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		580	"	"	"
Di-n-octyl phthalate (117-84-0)	U		580	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		580	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		580	"	"	"
Benzo (a) pyrene (50-32-8)	U		580	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		580	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		580	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		580	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.508g
%Solids: 84.45

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**8,150**		11.7	1	04/29/13	05/16/13
Barium (7440-39-3)	**69.4**		1.2	"	"	"
Beryllium (7440-41-7)	U		0.6	"	"	"
Cadmium (7440-43-9)	**1.3**		0.6	"	"	"
Calcium (7440-70-2)	**2,150**		17.5	"	"	"
Chromium (7440-47-3)	**22.2**		1.2	"	"	"
Cobalt (7440-48-4)	**4.4**		2.3	"	"	"
Copper (7440-50-8)	**131**		2.3	"	"	"
Iron (7439-89-6)	**9,560**		2.9	"	"	"
Magnesium (7439-95-4)	**383**		17.5	"	"	"
Manganese (7439-96-5)	**183**		0.6	"	"	"
Nickel (7440-02-2)	**25.5**		2.3	"	"	"
Potassium (7440-09-7)	**601**		117	"	"	"
Silver (7440-22-4)	U		1.2	"	"	"
Sodium (7440-23-5)	**67.6**		58.3	"	"	"
Vanadium (7440-62-2)	**19.6**		2.3	"	"	"
Zinc (7440-66-6)	**127**		2.3	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.103g
%Solids: 84.45

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	U		0.07	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.508g
%Solids: 84.45

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		0.6	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**3.0**		0.6	"	"	"
Lead (7439-92-1)	**110**		0.6	"	"	"
Selenium (7782-49-2)	U		0.6	"	"	"
Thallium (7440-28-0)	U		0.6	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-03 **Station ID: 3**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.247g
%Solids: 75.20

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	4,800		49.3	38-101	04/24/13	04/25/13
Phenol-d5	6,220		63.9	42-105	"	"
2-Chlorophenol-d4	5,280		54.2	40-100	"	"
1,2-Dichlorobenzene-d4	2,410		37.1	37-100	"	"
Nitrobenzene-d5	3,650		56.2	42-108	"	"
2-Fluorobiphenyl	5,150		79.3	51-103	"	"
2,4,6-Tribromophenol	9,950		102	55-115	"	"
Terphenyl-d14	5,670		87.3	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		649	1	04/24/13	04/25/13
Phenol (108-95-2)	U		649	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		649	"	"	"
2-Chlorophenol (95-57-8)	U		649	"	"	"
1,3-Dichlorobenzene (541-73-1)	U		649	"	"	"
1,4-Dichlorobenzene (106-46-7)	U		649	"	"	"
Benzyl alcohol (100-51-6)	U		649	"	"	"
1,2-Dichlorobenzene (95-50-1)	U		649	"	"	"
2-Methylphenol (95-48-7)	U		649	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		649	"	"	"
Acetophenone (98-86-2)	U		649	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		649	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		649	"	"	"
Hexachloroethane (67-72-1)	U		649	"	"	"
Nitrobenzene (98-95-3)	U		649	"	"	"
Isophorone (78-59-1)	U		649	"	"	"
2-Nitrophenol (88-75-5)	U		649	"	"	"
2,4-Dimethylphenol (105-67-9)	U		649	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		649	"	"	"
Benzoic acid (65-85-0)	U		1,300	"	"	"
2,4-Dichlorophenol (120-83-2)	U		649	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U		649	"	"	"
Naphthalene (91-20-3)	U		260	"	"	"
4-Chloroaniline (106-47-8)	U		649	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-03 **Station ID: 3**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.247g
%Solids: 75.20

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U		649	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		649	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		649	"	"	"
2-Methylnaphthalene (91-57-6)	U		260	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		649	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		649	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		649	"	"	"
2-Chloronaphthalene (91-58-7)	U		649	"	"	"
1,1'-Biphenyl (92-52-4)	U		649	"	"	"
2-Nitroaniline (88-74-4)	U		1,040	"	"	"
Dimethyl phthalate (131-11-3)	U		649	"	"	"
Acenaphthylene (208-96-8)	U		260	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		649	"	"	"
3-Nitroaniline (99-09-2)	U		1,040	"	"	"
Acenaphthene (83-32-9)	U		260	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,600	"	"	"
4-Nitrophenol (100-02-7)	U		1,690	"	"	"
Dibenzofuran (132-64-9)	U		649	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		649	"	"	"
Fluorene (86-73-7)	U		260	"	"	"
Diethyl phthalate (84-66-2)	U		649	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		649	"	"	"
4-Nitroaniline (100-01-6)	U		1,040	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,600	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		649	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		649	"	"	"
Hexachlorobenzene (118-74-1)	U		649	"	"	"
Atrazine (1912-24-9)	U		649	"	"	"
Pentachlorophenol (87-86-5)	U		649	"	"	"
Phenanthrene (85-01-8)	U		260	"	"	"
Anthracene (120-12-7)	U		260	"	"	"
Carbazole (86-74-8)	U		649	"	"	"
Di-n-butyl phthalate (84-74-2)	U		649	"	"	"
Fluoranthene (206-44-0)	U		260	"	"	"
Pyrene (129-00-0)	U		260	"	"	"
Butyl benzyl phthalate (85-68-7)	U		649	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-03 **Station ID: 3**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.247g
%Solids: 75.20

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		649	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U		649	"	"	"
Chrysene (218-01-9)	U		649	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		649	"	"	"
Di-n-octyl phthalate (117-84-0)	U		649	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		649	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		649	"	"	"
Benzo (a) pyrene (50-32-8)	U		649	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		649	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		649	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		649	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304030-03 **Station ID: 3**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.52g
%Solids: 75.20

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**7,820**		12.8	1	04/29/13	05/16/13
Barium (7440-39-3)	**1,200**		1.3	"	"	"
Beryllium (7440-41-7)	**0.6**		0.6	"	"	"
Cadmium (7440-43-9)	**2.4**		0.6	"	"	"
Calcium (7440-70-2)	**6,940**		19.2	"	"	"
Chromium (7440-47-3)	**17.2**		1.3	"	"	"
Cobalt (7440-48-4)	**4.3**		2.6	"	"	"
Copper (7440-50-8)	**18.3**		2.6	"	"	"
Iron (7439-89-6)	**15,500**		3.2	"	"	"
Magnesium (7439-95-4)	**985**		19.2	"	"	"
Manganese (7439-96-5)	**450**		0.6	"	"	"
Nickel (7440-02-2)	**6.7**		2.6	"	"	"
Potassium (7440-09-7)	**1,630**		128	"	"	"
Silver (7440-22-4)	U		1.3	"	"	"
Sodium (7440-23-5)	**69.5**		63.9	"	"	"
Vanadium (7440-62-2)	**28.6**		2.6	"	"	"
Zinc (7440-66-6)	**128**		2.6	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304030-03 **Station ID: 3**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.124g
%Solids: 75.20

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	**0.1**		0.07	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304030-03 **Station ID: 3**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.52g
%Solids: 75.20

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		0.6	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**8.0**		0.6	"	"	"
Lead (7439-92-1)	**67.3**		0.6	"	"	"
Selenium (7782-49-2)	U		0.6	"	"	"
Thallium (7440-28-0)	U		0.6	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-04 **Station ID: 4**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.76g
%Solids: 64.68

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	5,690		52.8	38-101	04/24/13	04/25/13
Phenol-d5	7,100		65.9	42-105	"	"
2-Chlorophenol-d4	6,060		56.2	40-100	"	"
1,2-Dichlorobenzene-d4	2,470		34.4 #	37-100	"	"
Nitrobenzene-d5	3,860		53.7	42-108	"	"
2-Fluorobiphenyl	5,720		79.6	51-103	"	"
2,4,6-Tribromophenol	9,750		90.5	55-115	"	"
Terphenyl-d14	6,340		88.2	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		718	1	04/24/13	04/25/13
Phenol (108-95-2)	U		718	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		718	"	"	"
2-Chlorophenol (95-57-8)	U		718	"	"	"
1,3-Dichlorobenzene (541-73-1)	U	RL	2,160	"	"	"
1,4-Dichlorobenzene (106-46-7)	U	RL	2,160	"	"	"
Benzyl alcohol (100-51-6)	U		718	"	"	"
1,2-Dichlorobenzene (95-50-1)	U	RL	2,160	"	"	"
2-Methylphenol (95-48-7)	U		718	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		718	"	"	"
Acetophenone (98-86-2)	U		718	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		718	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		718	"	"	"
Hexachloroethane (67-72-1)	U	RL	2,160	"	"	"
Nitrobenzene (98-95-3)	U		718	"	"	"
Isophorone (78-59-1)	U		718	"	"	"
2-Nitrophenol (88-75-5)	U		718	"	"	"
2,4-Dimethylphenol (105-67-9)	U		718	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		718	"	"	"
Benzoic acid (65-85-0)	U		1,440	"	"	"
2,4-Dichlorophenol (120-83-2)	U		718	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U	RL	2,160	"	"	"
Naphthalene (91-20-3)	U		287	"	"	"
4-Chloroaniline (106-47-8)	U		718	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-04 **Station ID: 4**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.76g
%Solids: 64.68

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U	RL	2,160	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		718	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		718	"	"	"
2-Methylnaphthalene (91-57-6)	U		287	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		718	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		718	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		718	"	"	"
2-Chloronaphthalene (91-58-7)	U		718	"	"	"
1,1'-Biphenyl (92-52-4)	U		718	"	"	"
2-Nitroaniline (88-74-4)	U		1,150	"	"	"
Dimethyl phthalate (131-11-3)	U		718	"	"	"
Acenaphthylene (208-96-8)	U		287	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		718	"	"	"
3-Nitroaniline (99-09-2)	U		1,150	"	"	"
Acenaphthene (83-32-9)	U		287	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,870	"	"	"
4-Nitrophenol (100-02-7)	U		1,870	"	"	"
Dibenzofuran (132-64-9)	U		718	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		718	"	"	"
Fluorene (86-73-7)	U		287	"	"	"
Diethyl phthalate (84-66-2)	U		718	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		718	"	"	"
4-Nitroaniline (100-01-6)	U		1,150	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,870	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		718	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		718	"	"	"
Hexachlorobenzene (118-74-1)	U		718	"	"	"
Atrazine (1912-24-9)	U		718	"	"	"
Pentachlorophenol (87-86-5)	U		718	"	"	"
Phenanthrene (85-01-8)	U		287	"	"	"
Anthracene (120-12-7)	U		287	"	"	"
Carbazole (86-74-8)	U		718	"	"	"
Di-n-butyl phthalate (84-74-2)	U		718	"	"	"
Fluoranthene (206-44-0)	U		287	"	"	"
Pyrene (129-00-0)	U		287	"	"	"
Butyl benzyl phthalate (85-68-7)	U		718	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-04 **Station ID: 4**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.76g
%Solids: 64.68

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		718	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U		718	"	"	"
Chrysene (218-01-9)	U		718	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		718	"	"	"
Di-n-octyl phthalate (117-84-0)	U		718	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		718	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		718	"	"	"
Benzo (a) pyrene (50-32-8)	U		718	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		718	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		718	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		718	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304030-04 **Station ID: 4**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.52g
%Solids: 64.68

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**7,430**		14.9	1	04/29/13	05/16/13
Barium (7440-39-3)	**75.1**		1.5	"	"	"
Beryllium (7440-41-7)	U		0.7	"	"	"
Cadmium (7440-43-9)	**0.8**		0.7	"	"	"
Calcium (7440-70-2)	**1,360**		22.3	"	"	"
Chromium (7440-47-3)	**14.1**		1.5	"	"	"
Cobalt (7440-48-4)	U		3.0	"	"	"
Copper (7440-50-8)	**27.4**		3.0	"	"	"
Iron (7439-89-6)	**9,840**		3.7	"	"	"
Magnesium (7439-95-4)	**451**		22.3	"	"	"
Manganese (7439-96-5)	**36.0**		0.7	"	"	"
Nickel (7440-02-2)	**3.6**		3.0	"	"	"
Potassium (7440-09-7)	**475**		149	"	"	"
Silver (7440-22-4)	U		1.5	"	"	"
Sodium (7440-23-5)	U		74.3	"	"	"
Vanadium (7440-62-2)	**22.3**		3.0	"	"	"
Zinc (7440-66-6)	**88.0**		3.0	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304030-04 **Station ID: 4**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.155g
%Solids: 64.68

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	**0.2**		0.06	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304030-04 **Station ID: 4**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.52g
%Solids: 64.68

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		0.7	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**3.8**		0.7	"	"	"
Lead (7439-92-1)	**46.8**		0.7	"	"	"
Selenium (7782-49-2)	U		0.7	"	"	"
Thallium (7440-28-0)	U		0.7	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.071g
%Solids: 85.99

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	4,780		55.2	38-101	04/24/13	04/25/13
Phenol-d5	5,560		64.2	42-105	"	"
2-Chlorophenol-d4	4,990		57.7	40-100	"	"
1,2-Dichlorobenzene-d4	2,780		48.1	37-100	"	"
Nitrobenzene-d5	3,670		63.6	42-108	"	"
2-Fluorobiphenyl	4,430		76.7	51-103	"	"
2,4,6-Tribromophenol	8,580		99.1	55-115	"	"
Terphenyl-d14	5,210		90.3	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		577	1	04/24/13	04/25/13
Phenol (108-95-2)	U		577	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		577	"	"	"
2-Chlorophenol (95-57-8)	U		577	"	"	"
1,3-Dichlorobenzene (541-73-1)	U		577	"	"	"
1,4-Dichlorobenzene (106-46-7)	U		577	"	"	"
Benzyl alcohol (100-51-6)	U		577	"	"	"
1,2-Dichlorobenzene (95-50-1)	U		577	"	"	"
2-Methylphenol (95-48-7)	U		577	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		577	"	"	"
Acetophenone (98-86-2)	U		577	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		577	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		577	"	"	"
Hexachloroethane (67-72-1)	U		577	"	"	"
Nitrobenzene (98-95-3)	U		577	"	"	"
Isophorone (78-59-1)	U		577	"	"	"
2-Nitrophenol (88-75-5)	U		577	"	"	"
2,4-Dimethylphenol (105-67-9)	U		577	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		577	"	"	"
Benzoic acid (65-85-0)	U		1,150	"	"	"
2,4-Dichlorophenol (120-83-2)	U		577	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U		577	"	"	"
Naphthalene (91-20-3)	U		231	"	"	"
4-Chloroaniline (106-47-8)	U		577	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.071g
%Solids: 85.99

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U		577	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		577	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		577	"	"	"
2-Methylnaphthalene (91-57-6)	U		231	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		577	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		577	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		577	"	"	"
2-Chloronaphthalene (91-58-7)	U		577	"	"	"
1,1'-Biphenyl (92-52-4)	U		577	"	"	"
2-Nitroaniline (88-74-4)	U		924	"	"	"
Dimethyl phthalate (131-11-3)	U		577	"	"	"
Acenaphthylene (208-96-8)	U		231	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		577	"	"	"
3-Nitroaniline (99-09-2)	U		924	"	"	"
Acenaphthene (83-32-9)	U		231	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,310	"	"	"
4-Nitrophenol (100-02-7)	U		1,500	"	"	"
Dibenzofuran (132-64-9)	U		577	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		577	"	"	"
Fluorene (86-73-7)	U		231	"	"	"
Diethyl phthalate (84-66-2)	U		577	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		577	"	"	"
4-Nitroaniline (100-01-6)	U		924	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,310	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		577	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		577	"	"	"
Hexachlorobenzene (118-74-1)	U		577	"	"	"
Atrazine (1912-24-9)	U		577	"	"	"
Pentachlorophenol (87-86-5)	U		577	"	"	"
Phenanthrene (85-01-8)	**258**		231	"	"	"
Anthracene (120-12-7)	U		231	"	"	"
Carbazole (86-74-8)	U		577	"	"	"
Di-n-butyl phthalate (84-74-2)	**660**		577	"	"	"
Fluoranthene (206-44-0)	**560**		231	"	"	"
Pyrene (129-00-0)	**627**		231	"	"	"
Butyl benzyl phthalate (85-68-7)	U		577	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.071g
%Solids: 85.99

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		577	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U		577	"	"	"
Chrysene (218-01-9)	U		577	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	**1,030**		577	"	"	"
Di-n-octyl phthalate (117-84-0)	U		577	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		577	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		577	"	"	"
Benzo (a) pyrene (50-32-8)	U		577	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		577	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		577	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		577	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.582g
%Solids: 85.99

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**7,910**		10.0	1	04/29/13	05/16/13
Barium (7440-39-3)	**247**		1.0	"	"	"
Beryllium (7440-41-7)	U		0.5	"	"	"
Cadmium (7440-43-9)	**3.8**		0.5	"	"	"
Calcium (7440-70-2)	**1,000**		15.0	"	"	"
Chromium (7440-47-3)	**57.6**		1.0	"	"	"
Cobalt (7440-48-4)	**3.3**		2.0	"	"	"
Copper (7440-50-8)	**258**		2.0	"	"	"
Iron (7439-89-6)	**12,500**		2.5	"	"	"
Magnesium (7439-95-4)	**317**		15.0	"	"	"
Manganese (7439-96-5)	**114**		0.5	"	"	"
Nickel (7440-02-2)	**9.2**		2.0	"	"	"
Potassium (7440-09-7)	**221**		99.9	"	"	"
Silver (7440-22-4)	U		1.0	"	"	"
Sodium (7440-23-5)	U		50.0	"	"	"
Vanadium (7440-62-2)	**16.9**		2.0	"	"	"
Zinc (7440-66-6)	**720**		2.0	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.115g
%Solids: 85.99

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	**7.2**		0.6	10	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.582g
%Solids: 85.99

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	**2.0**		0.5	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**6.7**		0.5	"	"	"
Lead (7439-92-1)	**963**		0.5	"	"	"
Selenium (7782-49-2)	U		0.5	"	"	"
Thallium (7440-28-0)	U		0.5	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-06 **Station ID: 8**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.518g
%Solids: 72.82

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	4,650		47.5	38-101	04/24/13	04/25/13
Phenol-d5	5,740		58.6	42-105	"	"
2-Chlorophenol-d4	5,050		51.5	40-100	"	"
1,2-Dichlorobenzene-d4	2,320		35.5 #	37-100	"	"
Nitrobenzene-d5	3,350		51.3	42-108	"	"
2-Fluorobiphenyl	4,790		73.4	51-103	"	"
2,4,6-Tribromophenol	9,550		97.6	55-115	"	"
Terphenyl-d14	5,890		90.2	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		653	1	04/24/13	04/25/13
Phenol (108-95-2)	U		653	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		653	"	"	"
2-Chlorophenol (95-57-8)	U		653	"	"	"
1,3-Dichlorobenzene (541-73-1)	U	RL	1,960	"	"	"
1,4-Dichlorobenzene (106-46-7)	U	RL	1,960	"	"	"
Benzyl alcohol (100-51-6)	U		653	"	"	"
1,2-Dichlorobenzene (95-50-1)	U	RL	1,960	"	"	"
2-Methylphenol (95-48-7)	U		653	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		653	"	"	"
Acetophenone (98-86-2)	U		653	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		653	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		653	"	"	"
Hexachloroethane (67-72-1)	U	RL	1,960	"	"	"
Nitrobenzene (98-95-3)	U		653	"	"	"
Isophorone (78-59-1)	U		653	"	"	"
2-Nitrophenol (88-75-5)	U		653	"	"	"
2,4-Dimethylphenol (105-67-9)	U		653	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		653	"	"	"
Benzoic acid (65-85-0)	U		1,310	"	"	"
2,4-Dichlorophenol (120-83-2)	U		653	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U	RL	1,960	"	"	"
Naphthalene (91-20-3)	U		261	"	"	"
4-Chloroaniline (106-47-8)	U		653	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-06 **Station ID: 8**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.518g
%Solids: 72.82

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U	RL	1,960	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		653	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		653	"	"	"
2-Methylnaphthalene (91-57-6)	U		261	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		653	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		653	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		653	"	"	"
2-Chloronaphthalene (91-58-7)	U		653	"	"	"
1,1'-Biphenyl (92-52-4)	U		653	"	"	"
2-Nitroaniline (88-74-4)	U		1,040	"	"	"
Dimethyl phthalate (131-11-3)	U		653	"	"	"
Acenaphthylene (208-96-8)	U		261	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		653	"	"	"
3-Nitroaniline (99-09-2)	U		1,040	"	"	"
Acenaphthene (83-32-9)	U		261	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,610	"	"	"
4-Nitrophenol (100-02-7)	U		1,700	"	"	"
Dibenzofuran (132-64-9)	U		653	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		653	"	"	"
Fluorene (86-73-7)	U		261	"	"	"
Diethyl phthalate (84-66-2)	U		653	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		653	"	"	"
4-Nitroaniline (100-01-6)	U		1,040	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,610	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		653	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		653	"	"	"
Hexachlorobenzene (118-74-1)	U		653	"	"	"
Atrazine (1912-24-9)	U		653	"	"	"
Pentachlorophenol (87-86-5)	U		653	"	"	"
Phenanthrene (85-01-8)	U		261	"	"	"
Anthracene (120-12-7)	U		261	"	"	"
Carbazole (86-74-8)	U		653	"	"	"
Di-n-butyl phthalate (84-74-2)	U		653	"	"	"
Fluoranthene (206-44-0)	U		261	"	"	"
Pyrene (129-00-0)	U		261	"	"	"
Butyl benzyl phthalate (85-68-7)	U		653	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304030-06 **Station ID: 8**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 10.518g
%Solids: 72.82

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		653	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U		653	"	"	"
Chrysene (218-01-9)	U		653	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		653	"	"	"
Di-n-octyl phthalate (117-84-0)	U		653	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		653	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		653	"	"	"
Benzo (a) pyrene (50-32-8)	U		653	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		653	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		653	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		653	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304030-06 **Station ID: 8**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.533g
%Solids: 72.82

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**6,760**		12.9	1	04/29/13	05/16/13
Barium (7440-39-3)	**957**		1.3	"	"	"
Beryllium (7440-41-7)	U		0.6	"	"	"
Cadmium (7440-43-9)	**2.1**		0.6	"	"	"
Calcium (7440-70-2)	**4,280**		19.3	"	"	"
Chromium (7440-47-3)	**17.7**		1.3	"	"	"
Cobalt (7440-48-4)	**4.0**		2.6	"	"	"
Copper (7440-50-8)	**19.8**		2.6	"	"	"
Iron (7439-89-6)	**14,400**		3.2	"	"	"
Magnesium (7439-95-4)	**382**		19.3	"	"	"
Manganese (7439-96-5)	**339**		0.6	"	"	"
Nickel (7440-02-2)	**7.1**		2.6	"	"	"
Potassium (7440-09-7)	**1,410**		129	"	"	"
Silver (7440-22-4)	U		1.3	"	"	"
Sodium (7440-23-5)	U		64.4	"	"	"
Vanadium (7440-62-2)	**27.0**		2.6	"	"	"
Zinc (7440-66-6)	**155**		2.6	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304030-06 **Station ID: 8**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.12g
%Solids: 72.82

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	**0.1**		0.07	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304030-06 **Station ID: 8**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/17/13
Sample Wt: 0.533g
%Solids: 72.82

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		0.6	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**7.8**		0.6	"	"	"
Lead (7439-92-1)	**69.1**		0.6	"	"	"
Selenium (7782-49-2)	**0.6**		0.6	"	"	"
Thallium (7440-28-0)	U		0.6	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-01 **Station ID: 6**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 10.538g
%Solids: 92.48

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	3,840		49.9	38-101	04/24/13	04/25/13
Phenol-d5	4,530		58.9	42-105	"	"
2-Chlorophenol-d4	3,950		51.3	40-100	"	"
1,2-Dichlorobenzene-d4	1,830		35.6 #	37-100	"	"
Nitrobenzene-d5	2,780		54.3	42-108	"	"
2-Fluorobiphenyl	3,610		70.3	51-103	"	"
2,4,6-Tribromophenol	6,170		80.2	55-115	"	"
Terphenyl-d14	4,660		90.8	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		513	1	04/24/13	04/25/13
Phenol (108-95-2)	U		513	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		513	"	"	"
2-Chlorophenol (95-57-8)	U		513	"	"	"
1,3-Dichlorobenzene (541-73-1)	U	RL	1,540	"	"	"
1,4-Dichlorobenzene (106-46-7)	U	RL	1,540	"	"	"
Benzyl alcohol (100-51-6)	U		513	"	"	"
1,2-Dichlorobenzene (95-50-1)	U	RL	1,540	"	"	"
2-Methylphenol (95-48-7)	U		513	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		513	"	"	"
Acetophenone (98-86-2)	U		513	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		513	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		513	"	"	"
Hexachloroethane (67-72-1)	U	RL	1,540	"	"	"
Nitrobenzene (98-95-3)	U		513	"	"	"
Isophorone (78-59-1)	U		513	"	"	"
2-Nitrophenol (88-75-5)	U		513	"	"	"
2,4-Dimethylphenol (105-67-9)	U		513	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		513	"	"	"
Benzoic acid (65-85-0)	U		1,030	"	"	"
2,4-Dichlorophenol (120-83-2)	U		513	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U	RL	1,540	"	"	"
Naphthalene (91-20-3)	U		205	"	"	"
4-Chloroaniline (106-47-8)	U		513	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-01 **Station ID: 6**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 10.538g
%Solids: 92.48

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U	RL	1,540	1	04/24/13	04/25/13
Caprolactam (105-60-2)	U		513	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		513	"	"	"
2-Methylnaphthalene (91-57-6)	U		205	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		513	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		513	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		513	"	"	"
2-Chloronaphthalene (91-58-7)	U		513	"	"	"
1,1'-Biphenyl (92-52-4)	U		513	"	"	"
2-Nitroaniline (88-74-4)	U		821	"	"	"
Dimethyl phthalate (131-11-3)	U		513	"	"	"
Acenaphthylene (208-96-8)	U		205	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		513	"	"	"
3-Nitroaniline (99-09-2)	U		821	"	"	"
Acenaphthene (83-32-9)	U		205	"	"	"
2,4-Dinitrophenol (51-28-5)	U		2,050	"	"	"
4-Nitrophenol (100-02-7)	U		1,330	"	"	"
Dibenzofuran (132-64-9)	U		513	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		513	"	"	"
Fluorene (86-73-7)	U		205	"	"	"
Diethyl phthalate (84-66-2)	U		513	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		513	"	"	"
4-Nitroaniline (100-01-6)	U		821	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		2,050	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		513	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		513	"	"	"
Hexachlorobenzene (118-74-1)	U		513	"	"	"
Atrazine (1912-24-9)	U		513	"	"	"
Pentachlorophenol (87-86-5)	U		513	"	"	"
Phenanthrene (85-01-8)	U		205	"	"	"
Anthracene (120-12-7)	U		205	"	"	"
Carbazole (86-74-8)	U		513	"	"	"
Di-n-butyl phthalate (84-74-2)	U		513	"	"	"
Fluoranthene (206-44-0)	U		205	"	"	"
Pyrene (129-00-0)	U		205	"	"	"
Butyl benzyl phthalate (85-68-7)	U		513	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-01 **Station ID: 6**

Batch: B3D2403
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 10.538g
%Solids: 92.48

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		513	1	04/24/13	04/25/13
3,3´-Dichlorobenzidine (91-94-1)	U		513	"	"	"
Chrysene (218-01-9)	U		513	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		513	"	"	"
Di-n-octyl phthalate (117-84-0)	U		513	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		513	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		513	"	"	"
Benzo (a) pyrene (50-32-8)	U		513	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		513	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		513	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		513	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304031-01 **Station ID: 6**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 0.504g
%Solids: 92.48

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**3,590**		10.7	1	04/29/13	05/16/13
Barium (7440-39-3)	**192**		1.1	"	"	"
Beryllium (7440-41-7)	U		0.5	"	"	"
Cadmium (7440-43-9)	U		0.5	"	"	"
Calcium (7440-70-2)	**1,290**		16.1	"	"	"
Chromium (7440-47-3)	**5.3**		1.1	"	"	"
Cobalt (7440-48-4)	**2.2**		2.1	"	"	"
Copper (7440-50-8)	**2.5**		2.1	"	"	"
Iron (7439-89-6)	**5,450**		2.7	"	"	"
Magnesium (7439-95-4)	**420**		16.1	"	"	"
Manganese (7439-96-5)	**142**		0.5	"	"	"
Nickel (7440-02-2)	**2.4**		2.1	"	"	"
Potassium (7440-09-7)	**414**		107	"	"	"
Silver (7440-22-4)	U		1.1	"	"	"
Sodium (7440-23-5)	U		53.6	"	"	"
Vanadium (7440-62-2)	**11.2**		2.1	"	"	"
Zinc (7440-66-6)	**10.8**		2.1	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304031-01 **Station ID: 6**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 0.102g
%Solids: 92.48

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	U		0.07	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304031-01 **Station ID: 6**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 0.504g
%Solids: 92.48

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		0.5	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**5.2**		0.5	"	"	"
Lead (7439-92-1)	**7.2**		0.5	"	"	"
Selenium (7782-49-2)	U		0.5	"	"	"
Thallium (7440-28-0)	U		0.5	"	"	"

KD

Metals by EPA Method 6010 - ICP

Lab ID: 1304031-02 **Station ID: 7**

Batch: B3D3007
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 0.524g
%Solids: 99.73

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**1,970**		9.6	1	04/29/13	05/16/13
Barium (7440-39-3)	**58.4**		1.0	"	"	"
Beryllium (7440-41-7)	U		0.5	"	"	"
Cadmium (7440-43-9)	U		0.5	"	"	"
Calcium (7440-70-2)	**749**		14.4	"	"	"
Chromium (7440-47-3)	**2.4**		1.0	"	"	"
Cobalt (7440-48-4)	U		1.9	"	"	"
Copper (7440-50-8)	**3.0**		1.9	"	"	"
Iron (7439-89-6)	**1,900**		2.4	"	"	"
Magnesium (7439-95-4)	**265**		14.4	"	"	"
Manganese (7439-96-5)	**40.1**		0.5	"	"	"
Nickel (7440-02-2)	U		1.9	"	"	"
Potassium (7440-09-7)	**144**		95.7	"	"	"
Silver (7440-22-4)	**1.4**		1.0	"	"	"
Sodium (7440-23-5)	U		47.8	"	"	"
Vanadium (7440-62-2)	**7.3**		1.9	"	"	"
Zinc (7440-66-6)	**17.2**		1.9	"	"	"

ts

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304031-02 **Station ID: 7**

Batch: B3E0101
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 0.105g
%Solids: 99.73

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	U		0.06	1	04/29/13	04/29/13

cj

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304031-02 **Station ID: 7**

Batch: B3D3008
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 0.524g
%Solids: 99.73

Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		0.5	10	04/29/13	05/01/13
Arsenic (7440-38-2)	**0.6**		0.5	"	"	"
Lead (7439-92-1)	**5.2**		0.5	"	"	"
Selenium (7782-49-2)	U		0.5	"	"	"
Thallium (7440-28-0)	U		0.5	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-02RE1 **Station ID: 7**

Batch: B3D2504
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 10.056g
%Solids: 99.73

Sample Qualifiers:

Surrogates

Analyte	Result µg/kg (dry)	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	5,450		72.9	38-101	04/26/13	05/21/13
Phenol-d5	5,830		77.9	42-105	"	"
2-Chlorophenol-d4	5,240		70.1	40-100	"	"
1,2-Dichlorobenzene-d4	3,090		62.0	37-100	"	"
Nitrobenzene-d5	3,790		76.1	42-108	"	"
2-Fluorobiphenyl	4,120		82.6	51-103	"	"
2,4,6-Tribromophenol	6,890		92.1	55-115	"	"
Terphenyl-d14	4,430		88.9	55-125	"	"

Targets

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		499	1	04/26/13	05/21/13
Phenol (108-95-2)	U		499	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		499	"	"	"
2-Chlorophenol (95-57-8)	U		499	"	"	"
1,3-Dichlorobenzene (541-73-1)	U		499	"	"	"
1,4-Dichlorobenzene (106-46-7)	U		499	"	"	"
Benzyl alcohol (100-51-6)	U		499	"	"	"
1,2-Dichlorobenzene (95-50-1)	U		499	"	"	"
2-Methylphenol (95-48-7)	U		499	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		499	"	"	"
Acetophenone (98-86-2)	U		499	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		499	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		499	"	"	"
Hexachloroethane (67-72-1)	U		499	"	"	"
Nitrobenzene (98-95-3)	U		499	"	"	"
Isophorone (78-59-1)	U		499	"	"	"
2-Nitrophenol (88-75-5)	U		499	"	"	"
2,4-Dimethylphenol (105-67-9)	U		499	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		499	"	"	"
Benzoic acid (65-85-0)	U		997	"	"	"
2,4-Dichlorophenol (120-83-2)	U		499	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U		499	"	"	"
Naphthalene (91-20-3)	U		199	"	"	"
4-Chloroaniline (106-47-8)	U		499	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-02RE1 **Station ID: 7**

Batch: B3D2504
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 10.056g
%Solids: 99.73

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U		499	1	04/26/13	05/21/13
Caprolactam (105-60-2)	U		499	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		499	"	"	"
2-Methylnaphthalene (91-57-6)	U		199	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		499	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		499	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		499	"	"	"
2-Chloronaphthalene (91-58-7)	U		499	"	"	"
1,1'-Biphenyl (92-52-4)	U		499	"	"	"
2-Nitroaniline (88-74-4)	U		798	"	"	"
Dimethyl phthalate (131-11-3)	U		499	"	"	"
Acenaphthylene (208-96-8)	U		199	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		499	"	"	"
3-Nitroaniline (99-09-2)	U		798	"	"	"
Acenaphthene (83-32-9)	U		199	"	"	"
2,4-Dinitrophenol (51-28-5)	U		1,990	"	"	"
4-Nitrophenol (100-02-7)	U		1,300	"	"	"
Dibenzofuran (132-64-9)	U		499	"	"	"
2,4-Dinitrotoluene (121-14-2)	**861**		499	"	"	"
Fluorene (86-73-7)	U		199	"	"	"
Diethyl phthalate (84-66-2)	U		499	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		499	"	"	"
4-Nitroaniline (100-01-6)	U		798	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		1,990	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		499	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		499	"	"	"
Hexachlorobenzene (118-74-1)	U		499	"	"	"
Atrazine (1912-24-9)	U		499	"	"	"
Pentachlorophenol (87-86-5)	U		499	"	"	"
Phenanthrene (85-01-8)	U		199	"	"	"
Anthracene (120-12-7)	U		199	"	"	"
Carbazole (86-74-8)	U		499	"	"	"
Di-n-butyl phthalate (84-74-2)	**652**		499	"	"	"
Fluoranthene (206-44-0)	U		199	"	"	"
Pyrene (129-00-0)	U		199	"	"	"
Butyl benzyl phthalate (85-68-7)	U		499	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-02RE1 **Station ID: 7**

Batch: B3D2504
Sample Type: Solid

Date Collected: 04/18/13
Sample Wt: 10.056g
%Solids: 99.73

Sample Qualifiers:

Targets (Continued)

Analyte (CAS Number)	Result µg/kg (dry)	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		499	1	04/26/13	05/21/13
3,3´-Dichlorobenzidine (91-94-1)	U		499	"	"	"
Chrysene (218-01-9)	U		499	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		499	"	"	"
Di-n-octyl phthalate (117-84-0)	U		499	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		499	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		499	"	"	"
Benzo (a) pyrene (50-32-8)	U		499	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		499	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		499	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		499	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-03 **Station ID: 9**

Batch: B3D2216 Date Collected: 04/18/13
Sample Type: Liquid Sample Vol: 1019ml Sample Qualifiers: **A**

Surrogates

Analyte	Result µg/L	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
2-Fluorophenol	54.8		74.5	39-109	04/23/13	04/24/13
Phenol-d5	57.4		78.0	41-107	"	"
2-Chlorophenol-d4	56.5		76.8	45-104	"	"
1,2-Dichlorobenzene-d4	34.0		69.2	34-100	"	"
Nitrobenzene-d5	44.4		90.5	41-128	"	"
2-Fluorobiphenyl	44.7		91.0	46-108	"	"
2,4,6-Tribromophenol	72.9		99.0	51-143	"	"
Terphenyl-d14	47.4		96.6	60-133	"	"

Targets

Analyte (CAS Number)	Result µg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzaldehyde (100-52-7)	U		4.9	1	04/23/13	04/24/13
Phenol (108-95-2)	U		4.9	"	"	"
Bis(2-chloroethyl)ether (111-44-4)	U		4.9	"	"	"
2-Chlorophenol (95-57-8)	U		4.9	"	"	"
1,3-Dichlorobenzene (541-73-1)	U		4.9	"	"	"
1,4-Dichlorobenzene (106-46-7)	U		4.9	"	"	"
Benzyl alcohol (100-51-6)	U		4.9	"	"	"
1,2-Dichlorobenzene (95-50-1)	U		4.9	"	"	"
2-Methylphenol (95-48-7)	U		4.9	"	"	"
Bis(2-chloro-1-methylethyl)ether (108-60-1)	U		4.9	"	"	"
Acetophenone (98-86-2)	U		4.9	"	"	"
3 &/or 4-Methylphenol (106-44-5)	U		4.9	"	"	"
N-Nitrosodi-n-propylamine (621-64-7)	U		4.9	"	"	"
Hexachloroethane (67-72-1)	U		4.9	"	"	"
Nitrobenzene (98-95-3)	U		4.9	"	"	"
Isophorone (78-59-1)	U		4.9	"	"	"
2-Nitrophenol (88-75-5)	U		4.9	"	"	"
2,4-Dimethylphenol (105-67-9)	U		4.9	"	"	"
Bis(2-chloroethoxy)methane (111-91-1)	U		4.9	"	"	"
Benzoic acid (65-85-0)	U		9.8	"	"	"
2,4-Dichlorophenol (120-83-2)	U		4.9	"	"	"
1,2,4-Trichlorobenzene (120-82-1)	U		4.9	"	"	"
Naphthalene (91-20-3)	U		2.0	"	"	"
4-Chloroaniline (106-47-8)	U		4.9	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-03 **Station ID: 9**

Batch: B3D2216 Date Collected: 04/18/13
Sample Type: Liquid Sample Vol: 1019ml Sample Qualifiers: **A**

Targets (Continued)

Analyte (CAS Number)	Result µg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Hexachlorobutadiene (87-68-3)	U		4.9	1	04/23/13	04/24/13
Caprolactam (105-60-2)	U		4.9	"	"	"
4-Chloro-3-methylphenol (59-50-7)	U		4.9	"	"	"
2-Methylnaphthalene (91-57-6)	U		2.0	"	"	"
Hexachlorocyclopentadiene (77-47-4)	U		4.9	"	"	"
2,4,6-Trichlorophenol (88-06-2)	U		4.9	"	"	"
2,4,5-Trichlorophenol (95-95-4)	U		4.9	"	"	"
2-Chloronaphthalene (91-58-7)	U		4.9	"	"	"
1,1'-Biphenyl (92-52-4)	U		4.9	"	"	"
2-Nitroaniline (88-74-4)	U		7.9	"	"	"
Dimethyl phthalate (131-11-3)	U		4.9	"	"	"
Acenaphthylene (208-96-8)	U		2.0	"	"	"
2,6-Dinitrotoluene (606-20-2)	U		4.9	"	"	"
3-Nitroaniline (99-09-2)	U		7.9	"	"	"
Acenaphthene (83-32-9)	U		2.0	"	"	"
2,4-Dinitrophenol (51-28-5)	U		19.6	"	"	"
4-Nitrophenol (100-02-7)	U		12.8	"	"	"
Dibenzofuran (132-64-9)	U		4.9	"	"	"
2,4-Dinitrotoluene (121-14-2)	U		4.9	"	"	"
Fluorene (86-73-7)	U		2.0	"	"	"
Diethyl phthalate (84-66-2)	U		4.9	"	"	"
4-Chlorophenyl phenyl ether (7005-72-3)	U		4.9	"	"	"
4-Nitroaniline (100-01-6)	U		7.9	"	"	"
4,6-Dinitro-2-methylphenol (534-52-1)	U		19.6	"	"	"
N-Nitrosodiphenylamine (86-30-6)	U		4.9	"	"	"
4-Bromophenyl phenyl ether (101-55-3)	U		4.9	"	"	"
Hexachlorobenzene (118-74-1)	U		4.9	"	"	"
Atrazine (1912-24-9)	U		4.9	"	"	"
Pentachlorophenol (87-86-5)	U		4.9	"	"	"
Phenanthrene (85-01-8)	U		2.0	"	"	"
Anthracene (120-12-7)	U		2.0	"	"	"
Carbazole (86-74-8)	U		4.9	"	"	"
Di-n-butyl phthalate (84-74-2)	U		4.9	"	"	"
Fluoranthene (206-44-0)	U		2.0	"	"	"
Pyrene (129-00-0)	U		2.0	"	"	"
Butyl benzyl phthalate (85-68-7)	U		4.9	"	"	"

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS

Lab ID: 1304031-03 **Station ID: 9**

Batch: B3D2216 Date Collected: 04/18/13
Sample Type: Liquid Sample Vol: 1019ml Sample Qualifiers: **A**

Targets (Continued)

Analyte (CAS Number)	Result µg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Benzo (a) anthracene (56-55-3)	U		4.9	1	04/23/13	04/24/13
3,3´-Dichlorobenzidine (91-94-1)	U		4.9	"	"	"
Chrysene (218-01-9)	U		4.9	"	"	"
Bis(2-ethylhexyl)phthalate (117-81-7)	U		4.9	"	"	"
Di-n-octyl phthalate (117-84-0)	U		4.9	"	"	"
Benzo (b) fluoranthene (205-99-2)	U		4.9	"	"	"
Benzo (k) fluoranthene (207-08-9)	U		4.9	"	"	"
Benzo (a) pyrene (50-32-8)	U		4.9	"	"	"
Indeno (1,2,3-cd) pyrene (193-39-5)	U		4.9	"	"	"
Dibenz (a,h) anthracene (53-70-3)	U		4.9	"	"	"
Benzo (g,h,i) perylene (191-24-2)	U		4.9	"	"	"

BJS

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP

Lab ID: 1304031-03 **Station ID: 9**

Batch: B3D3005 Date Collected: 04/18/13
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**1,150**	**J**	100	1	04/29/13	05/16/13
Barium (7440-39-3)	**282**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**13,300**		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**6,550**	**J**	25.0	"	"	"
Magnesium (7439-95-4)	**1,240**		150	"	"	"
Manganese (7439-96-5)	**304**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**15,400**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**2,230**		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

ts

Metals by EPA Method 7470A/7471 - CVAAS

Lab ID: 1304031-03 **Station ID: 9**

Batch: B3E0102 Date Collected: 04/18/13
Sample Type: Liquid Sample Vol: 25ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Mercury (7439-97-6)	U		0.200	1	04/29/13	04/29/13

cj

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS

Lab ID: 1304031-03 **Station ID: 9**

Batch: B3D3006 Date Collected: 04/18/13
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed	
Antimony (7440-36-0)	U		5.0	10	04/29/13	05/01/13	
Arsenic (7440-38-2)	U		5.0	"	"	"	
Lead (7439-92-1)	**11.4**		5.0	"	"	"	
Selenium (7782-49-2)	U		5.0	"	"	"	
Thallium (7440-28-0)	U		5.0	"	"	"	

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Percent Solids - Quality Control

Duplicate (B3D2214-DUP1)

Source: 1304031-02 Prepared: 4/22/2013 Analyzed: 4/23/2013

Targets

ANALYTE	Result %	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	RPD	RPD Limit
% Solids	99.75				99.73	0.02	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

Blank (B3D2216-BLK1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Surrogates

ANALYTE	Result µg/L	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	54.8		75.0	73.1	39-109
Phenol-d5	56.1		75.0	74.8	41-107
2-Chlorophenol-d4	53.8		75.0	71.8	45-104
1,2-Dichlorobenzene-d4	28.3		50.0	56.6	34-100
Nitrobenzene-d5	39.7		50.0	79.4	41-128
2-Fluorobiphenyl	35.8		50.0	71.7	46-108
2,4,6-Tribromophenol	55.5		75.0	74.0	51-143
Terphenyl-d14	47.9		50.0	95.8	60-133

Blank (B3D2216-BLK1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit
Benzaldehyde	U		5.0
Phenol	U		5.0
Bis(2-chloroethyl)ether	U		5.0
2-Chlorophenol	U		5.0
1,3-Dichlorobenzene	U		5.0
1,4-Dichlorobenzene	U		5.0
Benzyl alcohol	U		5.0
1,2-Dichlorobenzene	U		5.0
2-Methylphenol	U		5.0
Bis(2-chloro-1-methylethyl)ether	U		5.0
Acetophenone	U		5.0
3 &/or 4-Methylphenol	U		5.0
N-Nitrosodi-n-propylamine	U		5.0
Hexachloroethane	U		5.0
Nitrobenzene	U		5.0
Isophorone	U		5.0

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

Blank (B3D2216-BLK1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit
2-Nitrophenol	U		5.0
2,4-Dimethylphenol	U		5.0
Bis(2-chloroethoxy)methane	U		5.0
Benzoic acid	U		10.0
2,4-Dichlorophenol	U		5.0
1,2,4-Trichlorobenzene	U		5.0
Naphthalene	U		2.0
4-Chloroaniline	U		5.0
Hexachlorobutadiene	U		5.0
Caprolactam	U		5.0
4-Chloro-3-methylphenol	U		5.0
2-Methylnaphthalene	U		2.0
Hexachlorocyclopentadiene	U		5.0
2,4,6-Trichlorophenol	U		5.0
2,4,5-Trichlorophenol	U		5.0
2-Chloronaphthalene	U		5.0
1,1'-Biphenyl	U		5.0
2-Nitroaniline	U		8.0
Dimethyl phthalate	U		5.0
Acenaphthylene	U		2.0
2,6-Dinitrotoluene	U		5.0
3-Nitroaniline	U		8.0
Acenaphthene	U		2.0
2,4-Dinitrophenol	U		20.0
4-Nitrophenol	U		13.0
Dibenzofuran	U		5.0
2,4-Dinitrotoluene	U		5.0
Fluorene	U		2.0
Diethyl phthalate	U		5.0
4-Chlorophenyl phenyl ether	U		5.0

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

Blank (B3D2216-BLK1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit
4-Nitroaniline	U		8.0
4,6-Dinitro-2-methylphenol	U		20.0
N-Nitrosodiphenylamine	U		5.0
4-Bromophenyl phenyl ether	U		5.0
Hexachlorobenzene	U		5.0
Atrazine	U		5.0
Pentachlorophenol	U		5.0
Phenanthrene	U		2.0
Anthracene	U		2.0
Carbazole	U		5.0
Di-n-butyl phthalate	U		5.0
Fluoranthene	U		2.0
Pyrene	U		2.0
Butyl benzyl phthalate	U		5.0
Benzo (a) anthracene	U		5.0
3,3´-Dichlorobenzidine	U		5.0
Chrysene	U		5.0
Bis(2-ethylhexyl)phthalate	U		5.0
Di-n-octyl phthalate	U		5.0
Benzo (b) fluoranthene	U		5.0
Benzo (k) fluoranthene	U		5.0
Benzo (a) pyrene	U		5.0
Indeno (1,2,3-cd) pyrene	U		5.0
Dibenz (a,h) anthracene	U		5.0
Benzo (g,h,i) perylene	U		5.0

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

LCS (B3D2216-BS1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Surrogates

ANALYTE	Result µg/L	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	64.6		75.0	86.1	39-109
Phenol-d5	66.5		75.0	88.6	41-107
2-Chlorophenol-d4	63.3		75.0	84.4	45-104
1,2-Dichlorobenzene-d4	35.0		50.0	70.1	34-100
Nitrobenzene-d5	46.6		50.0	93.2	41-128
2-Fluorobiphenyl	44.3		50.0	88.6	46-108
2,4,6-Tribromophenol	76.0		75.0	101	51-143
Terphenyl-d14	47.1		50.0	94.1	60-133

LCS (B3D2216-BS1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Benzaldehyde	20.5		5.0	25.0	82.1	53-136
Phenol	22.4		5.0	25.0	89.6	62-115
Bis(2-chloroethyl)ether	23.1		5.0	25.0	92.5	62-125
2-Chlorophenol	22.9		5.0	25.0	91.6	66-115
1,3-Dichlorobenzene	14.9		5.0	25.0	59.6	36-100
1,4-Dichlorobenzene	15.8		5.0	25.0	63.2	36-100
Benzyl alcohol	24.1		5.0	25.0	96.2	67-119
1,2-Dichlorobenzene	16.8		5.0	25.0	67.2	48-100
2-Methylphenol	23.3		5.0	25.0	93.2	60-131
Bis(2-chloro-1-methylethyl)ether	22.7		5.0	25.0	90.8	51-138
Acetophenone	23.9		5.0	25.0	95.7	63-134
3 &/or 4-Methylphenol	23.3		5.0	25.0	93.1	57-136
N-Nitrosodi-n-propylamine	23.4		5.0	25.0	93.6	61-123
Hexachloroethane	13.5		5.0	25.0	53.9	24-100
Nitrobenzene	23.7		5.0	25.0	94.6	68-126
Isophorone	22.4		5.0	25.0	89.7	67-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

LCS (B3D2216-BS1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
2-Nitrophenol	25.0		5.0	25.0	100	62-137
2,4-Dimethylphenol	21.8		5.0	25.0	87.0	48-136
Bis(2-chloroethoxy)methane	23.3		5.0	25.0	93.2	66-126
Benzoic acid	16.2		10.0	25.0	64.8	41-134
2,4-Dichlorophenol	23.9		5.0	25.0	95.8	69-125
1,2,4-Trichlorobenzene	20.2		5.0	25.0	80.9	40-100
Naphthalene	21.9		2.0	25.0	87.5	65-115
4-Chloroaniline	21.1		5.0	25.0	84.5	54-122
Hexachlorobutadiene	18.5		5.0	25.0	74.2	29-112
Caprolactam	21.7		5.0	25.0	86.9	56-124
4-Chloro-3-methylphenol	22.8		5.0	25.0	91.1	63-119
2-Methylnaphthalene	22.0		2.0	25.0	88.2	64-117
Hexachlorocyclopentadiene	21.8		5.0	25.0	87.0	32-122
2,4,6-Trichlorophenol	23.0		5.0	25.0	92.1	65-128
2,4,5-Trichlorophenol	24.0		5.0	25.0	95.9	68-127
2-Chloronaphthalene	23.5		5.0	25.0	93.9	62-122
1,1'-Biphenyl	23.6		5.0	25.0	94.4	60-129
2-Nitroaniline	23.9		8.0	25.0	95.7	65-126
Dimethyl phthalate	22.9		5.0	25.0	91.8	71-122
Acenaphthylene	22.7		2.0	25.0	90.8	70-121
2,6-Dinitrotoluene	23.8		5.0	25.0	95.3	68-128
3-Nitroaniline	21.9		8.0	25.0	87.6	57-136
Acenaphthene	22.4		2.0	25.0	89.5	61-116
2,4-Dinitrophenol	16.9		20.0	25.0	67.4	42-152
4-Nitrophenol	21.5		13.0	25.0	85.8	52-132
Dibenzofuran	23.4		5.0	25.0	93.8	67-123
2,4-Dinitrotoluene	24.1		5.0	25.0	96.3	61-121
Fluorene	22.6		2.0	25.0	90.4	65-129
Diethyl phthalate	22.4		5.0	25.0	89.7	72-124
4-Chlorophenyl phenyl ether	23.7		5.0	25.0	94.7	63-130

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

LCS (B3D2216-BS1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
4-Nitroaniline	23.6		8.0	25.0	94.2	64-137
4,6-Dinitro-2-methylphenol	19.7		20.0	25.0	78.7	46-146
N-Nitrosodiphenylamine	23.7		5.0	25.0	94.8	66-125
4-Bromophenyl phenyl ether	24.6		5.0	25.0	98.5	64-123
Hexachlorobenzene	25.1		5.0	25.0	101	67-121
Atrazine	25.6		5.0	25.0	102	74-127
Pentachlorophenol	20.9		5.0	25.0	83.7	49-134
Phenanthrene	23.5		2.0	25.0	93.9	69-121
Anthracene	23.8		2.0	25.0	95.2	68-122
Carbazole	23.4		5.0	25.0	93.7	71-124
Di-n-butyl phthalate	24.4		5.0	25.0	97.7	75-136
Fluoranthene	22.8		2.0	25.0	91.4	74-123
Pyrene	25.7		2.0	25.0	103	58-134
Butyl benzyl phthalate	23.9		5.0	25.0	95.8	77-132
Benzo (a) anthracene	24.5		5.0	25.0	98.0	76-125
3,3´-Dichlorobenzidine	19.7		5.0	25.0	78.9	40-139
Chrysene	24.1		5.0	25.0	96.3	76-125
Bis(2-ethylhexyl)phthalate	23.9		5.0	25.0	95.5	79-138
Di-n-octyl phthalate	24.6		5.0	25.0	98.3	64-134
Benzo (b) fluoranthene	22.1		5.0	25.0	88.5	70-130
Benzo (k) fluoranthene	23.1		5.0	25.0	92.6	68-136
Benzo (a) pyrene	23.5		5.0	25.0	94.2	75-125
Indeno (1,2,3-cd) pyrene	25.4		5.0	25.0	102	65-143
Dibenz (a,h) anthracene	26.6		5.0	25.0	107	61-145
Benzo (g,h,i) perylene	22.4		5.0	25.0	89.7	67-142

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

LCS Dup (B3D2216-BSD1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Surrogates

ANALYTE	Result µg/L	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	63.3		75.0	84.5	39-109
Phenol-d5	64.2		75.0	85.7	41-107
2-Chlorophenol-d4	62.1		75.0	82.8	45-104
1,2-Dichlorobenzene-d4	34.1		50.0	68.1	34-100
Nitrobenzene-d5	46.4		50.0	92.8	41-128
2-Fluorobiphenyl	45.0		50.0	90.0	46-108
2,4,6-Tribromophenol	77.3		75.0	103	51-143
Terphenyl-d14	43.6		50.0	87.2	60-133

LCS Dup (B3D2216-BSD1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Benzaldehyde	19.3		5.0	25.0		77.2	53-136	6.12	30
Phenol	21.7		5.0	25.0		86.8	62-115	3.20	30
Bis(2-chloroethyl)ether	22.2		5.0	25.0		88.8	62-125	4.11	30
2-Chlorophenol	22.1		5.0	25.0		88.4	66-115	3.61	30
1,3-Dichlorobenzene	14.4		5.0	25.0		57.6	36-100	3.53	30
1,4-Dichlorobenzene	15.0		5.0	25.0		60.1	36-100	5.03	30
Benzyl alcohol	23.3		5.0	25.0		93.4	67-119	3.01	30
1,2-Dichlorobenzene	16.1		5.0	25.0		64.2	48-100	4.51	30
2-Methylphenol	22.4		5.0	25.0		89.8	60-131	3.74	30
Bis(2-chloro-1-methylethyl)ether	22.6		5.0	25.0		90.2	51-138	0.66	30
Acetophenone	23.5		5.0	25.0		94.0	63-134	1.79	30
3 &/or 4-Methylphenol	22.7		5.0	25.0		90.9	57-136	2.42	30
N-Nitrosodi-n-propylamine	23.1		5.0	25.0		92.2	61-123	1.51	30
Hexachloroethane	12.4		5.0	25.0		49.7	24-100	8.14	30
Nitrobenzene	23.5		5.0	25.0		94.1	68-126	0.59	30
Isophorone	23.0		5.0	25.0		92.1	67-125	2.72	30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

LCS Dup (B3D2216-BSD1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Nitrophenol	24.6		5.0	25.0		98.5	62-137	1.55	30
2,4-Dimethylphenol	21.4		5.0	25.0		85.6	48-136	1.65	30
Bis(2-chloroethoxy)methane	23.4		5.0	25.0		93.5	66-126	0.34	30
Benzoic acid	19.6		10.0	25.0		78.5	41-134	19.1	30
2,4-Dichlorophenol	24.4		5.0	25.0		97.6	69-125	1.92	30
1,2,4-Trichlorobenzene	20.2		5.0	25.0		80.8	40-100	0.17	30
Naphthalene	21.1		2.0	25.0		84.4	65-115	3.56	30
4-Chloroaniline	21.0		5.0	25.0		84.1	54-122	0.43	30
Hexachlorobutadiene	17.8		5.0	25.0		71.1	29-112	4.22	30
Caprolactam	21.9		5.0	25.0		87.5	56-124	0.72	30
4-Chloro-3-methylphenol	23.5		5.0	25.0		94.1	63-119	3.30	30
2-Methylnaphthalene	22.3		2.0	25.0		89.2	64-117	1.11	30
Hexachlorocyclopentadiene	20.9		5.0	25.0		83.8	32-122	3.81	30
2,4,6-Trichlorophenol	23.6		5.0	25.0		94.4	65-128	2.44	30
2,4,5-Trichlorophenol	25.1		5.0	25.0		100	68-127	4.52	30
2-Chloronaphthalene	23.2		5.0	25.0		92.9	62-122	1.10	30
1,1'-Biphenyl	23.3		5.0	25.0		93.2	60-129	1.28	30
2-Nitroaniline	23.9		8.0	25.0		95.7	65-126	0.02	30
Dimethyl phthalate	22.7		5.0	25.0		90.8	71-122	1.12	30
Acenaphthylene	22.9		2.0	25.0		91.6	70-121	0.90	30
2,6-Dinitrotoluene	24.1		5.0	25.0		96.6	68-128	1.30	30
3-Nitroaniline	23.2		8.0	25.0		92.9	57-136	5.94	30
Acenaphthene	22.6		2.0	25.0		90.6	61-116	1.21	30
2,4-Dinitrophenol	20.9		20.0	25.0		83.5	42-152	21.3	30
4-Nitrophenol	22.5		13.0	25.0		90.2	52-132	4.93	30
Dibenzofuran	23.4		5.0	25.0		93.8	67-123	0.02	30
2,4-Dinitrotoluene	23.8		5.0	25.0		95.2	61-121	1.15	30
Fluorene	23.2		2.0	25.0		92.7	65-129	2.54	30
Diethyl phthalate	23.1		5.0	25.0		92.2	72-124	2.85	30
4-Chlorophenyl phenyl ether	24.3		5.0	25.0		97.1	63-130	2.51	30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2216 **Sample Type: Liquid**

LCS Dup (B3D2216-BSD1)

Prepared: 4/23/2013 Analyzed: 4/24/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
4-Nitroaniline	25.9		8.0	25.0		103	64-137	9.31	30
4,6-Dinitro-2-methylphenol	21.7		20.0	25.0		86.8	46-146	9.70	30
N-Nitrosodiphenylamine	24.5		5.0	25.0		98.1	66-125	3.43	30
4-Bromophenyl phenyl ether	25.4		5.0	25.0		102	64-123	3.02	30
Hexachlorobenzene	24.9		5.0	25.0		99.8	67-121	0.78	30
Atrazine	25.4		5.0	25.0		101	74-127	0.78	30
Pentachlorophenol	23.7		5.0	25.0		94.9	49-134	12.6	30
Phenanthrene	23.2		2.0	25.0		92.7	69-121	1.30	30
Anthracene	23.6		2.0	25.0		94.3	68-122	0.93	30
Carbazole	23.7		5.0	25.0		94.7	71-124	1.11	30
Di-n-butyl phthalate	24.4		5.0	25.0		97.5	75-136	0.14	30
Fluoranthene	23.1		2.0	25.0		92.5	74-123	1.19	30
Pyrene	23.5		2.0	25.0		93.9	58-134	9.01	30
Butyl benzyl phthalate	23.1		5.0	25.0		92.3	77-132	3.70	30
Benzo (a) anthracene	24.4		5.0	25.0		97.5	76-125	0.53	30
3,3´-Dichlorobenzidine	18.5		5.0	25.0		74.0	40-139	6.47	30
Chrysene	23.7		5.0	25.0		94.7	76-125	1.68	30
Bis(2-ethylhexyl)phthalate	23.0		5.0	25.0		92.1	79-138	3.65	30
Di-n-octyl phthalate	24.6		5.0	25.0		98.5	64-134	0.22	30
Benzo (b) fluoranthene	23.6		5.0	25.0		94.5	70-130	6.50	30
Benzo (k) fluoranthene	24.0		5.0	25.0		96.0	68-136	3.69	30
Benzo (a) pyrene	23.9		5.0	25.0		95.4	75-125	1.32	30
Indeno (1,2,3-cd) pyrene	22.8		5.0	25.0		91.2	65-143	10.9	30
Dibenz (a,h) anthracene	24.0		5.0	25.0		96.0	61-145	10.4	30
Benzo (g,h,i) perylene	20.2		5.0	25.0		80.6	67-142	10.7	30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Blank (B3D2403-BLK1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	3,470		7,470	46.4	38-101
Phenol-d5	3,950		7,470	52.9	42-105
2-Chlorophenol-d4	3,470		7,470	46.4	40-100
1,2-Dichlorobenzene-d4	2,060		4,980	41.3	37-100
Nitrobenzene-d5	2,500		4,980	50.2	42-108
2-Fluorobiphenyl	3,050		4,980	61.2	51-103
2,4,6-Tribromophenol	5,570		7,470	74.5	55-115
Terphenyl-d14	4,260		4,980	85.5	55-125

Blank (B3D2403-BLK1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
Benzaldehyde	U		498
Phenol	U		498
Bis(2-chloroethyl)ether	U		498
2-Chlorophenol	U		498
1,3-Dichlorobenzene	U		498
1,4-Dichlorobenzene	U		498
Benzyl alcohol	U		498
1,2-Dichlorobenzene	U		498
2-Methylphenol	U		498
Bis(2-chloro-1-methylethyl)ether	U		498
Acetophenone	U		498
3 &/or 4-Methylphenol	U		498
N-Nitrosodi-n-propylamine	U		498
Hexachloroethane	U		498
Nitrobenzene	U		498
Isophorone	U		498

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Blank (B3D2403-BLK1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
2-Nitrophenol	U		498
2,4-Dimethylphenol	U		498
Bis(2-chloroethoxy)methane	U		498
Benzoic acid	U		996
2,4-Dichlorophenol	U		498
1,2,4-Trichlorobenzene	U		498
Naphthalene	U		199
4-Chloroaniline	U		498
Hexachlorobutadiene	U		498
Caprolactam	U		498
4-Chloro-3-methylphenol	U		498
2-Methylnaphthalene	U		199
Hexachlorocyclopentadiene	U		498
2,4,6-Trichlorophenol	U		498
2,4,5-Trichlorophenol	U		498
2-Chloronaphthalene	U		498
1,1'-Biphenyl	U		498
2-Nitroaniline	U		797
Dimethyl phthalate	U		498
Acenaphthylene	U		199
2,6-Dinitrotoluene	U		498
3-Nitroaniline	U		797
Acenaphthene	U		199
2,4-Dinitrophenol	U		1,990
4-Nitrophenol	U		1,300
Dibenzofuran	U		498
2,4-Dinitrotoluene	U		498
Fluorene	U		199
Diethyl phthalate	U		498
4-Chlorophenyl phenyl ether	U		498

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Blank (B3D2403-BLK1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
4-Nitroaniline	U		797
4,6-Dinitro-2-methylphenol	U		1,990
N-Nitrosodiphenylamine	U		498
4-Bromophenyl phenyl ether	U		498
Hexachlorobenzene	U		498
Atrazine	U		498
Pentachlorophenol	U		498
Phenanthrene	U		199
Anthracene	U		199
Carbazole	U		498
Di-n-butyl phthalate	U		498
Fluoranthene	U		199
Pyrene	U		199
Butyl benzyl phthalate	U		498
Benzo (a) anthracene	U		498
3,3´-Dichlorobenzidine	U		498
Chrysene	U		498
Bis(2-ethylhexyl)phthalate	U		498
Di-n-octyl phthalate	U		498
Benzo (b) fluoranthene	U		498
Benzo (k) fluoranthene	U		498
Benzo (a) pyrene	U		498
Indeno (1,2,3-cd) pyrene	U		498
Dibenz (a,h) anthracene	U		498
Benzo (g,h,i) perylene	U		498

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

LCS (B3D2403-BS1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	4,280		7,480	57.2	38-101
Phenol-d5	4,650		7,480	62.2	42-105
2-Chlorophenol-d4	4,210		7,480	56.2	40-100
1,2-Dichlorobenzene-d4	2,450		4,990	49.1	37-100
Nitrobenzene-d5	2,990		4,990	60.0	42-108
2-Fluorobiphenyl	3,430		4,990	68.7	51-103
2,4,6-Tribromophenol	6,210		7,480	83.1	55-115
Terphenyl-d14	3,920		4,990	78.6	55-125

LCS (B3D2403-BS1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Benzaldehyde	1,580		499	4,990	31.7	30-100
Phenol	3,020		499	4,990	60.5	40-101
Bis(2-chloroethyl)ether	2,820		499	4,990	56.6	37-100
2-Chlorophenol	2,960		499	4,990	59.3	41-100
1,3-Dichlorobenzene	2,480		499	4,990	49.7	36-100
1,4-Dichlorobenzene	2,550		499	4,990	51.0	32-100
Benzyl alcohol	3,240		499	4,990	65.0	42-102
1,2-Dichlorobenzene	2,680		499	4,990	53.7	35-100
2-Methylphenol	3,100		499	4,990	62.2	44-100
Bis(2-chloro-1-methylethyl)ether	2,820		499	4,990	56.6	41-100
Acetophenone	2,970		499	4,990	59.5	42-100
3 &/or 4-Methylphenol	3,090		499	4,990	62.0	45-100
N-Nitrosodi-n-propylamine	2,990		499	4,990	59.9	43-100
Hexachloroethane	2,530		499	4,990	50.7	35-100
Nitrobenzene	2,980		499	4,990	59.7	43-100
Isophorone	2,940		499	4,990	59.0	47-100

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

LCS (B3D2403-BS1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
2-Nitrophenol	3,200		499	4,990	64.2	46-101
2,4-Dimethylphenol	2,930		499	4,990	58.8	26-100
Bis(2-chloroethoxy)methane	3,130		499	4,990	62.8	47-100
Benzoic acid	1,820		998	4,990	36.6	10-125
2,4-Dichlorophenol	3,330		499	4,990	66.9	49-101
1,2,4-Trichlorobenzene	2,950		499	4,990	59.1	40-100
Naphthalene	2,980		200	4,990	59.8	44-100
4-Chloroaniline	2,770		499	4,990	55.6	37-100
Hexachlorobutadiene	2,890		499	4,990	58.0	42-101
Caprolactam	3,850		499	4,990	77.1	55-142
4-Chloro-3-methylphenol	3,490		499	4,990	70.0	47-114
2-Methylnaphthalene	3,070		200	4,990	61.5	47-101
Hexachlorocyclopentadiene	3,090		499	4,990	62.0	25-108
2,4,6-Trichlorophenol	3,420		499	4,990	68.6	48-105
2,4,5-Trichlorophenol	3,820		499	4,990	76.6	50-108
2-Chloronaphthalene	3,230		499	4,990	64.9	45-101
1,1'-Biphenyl	3,330		499	4,990	66.8	41-107
2-Nitroaniline	3,700		798	4,990	74.2	53-112
Dimethyl phthalate	3,590		499	4,990	72.0	53-111
Acenaphthylene	3,280		200	4,990	65.8	49-102
2,6-Dinitrotoluene	3,810		499	4,990	76.3	53-112
3-Nitroaniline	3,260		798	4,990	65.4	50-117
Acenaphthene	3,340		200	4,990	66.9	47-101
2,4-Dinitrophenol	3,030		2,000	4,990	60.7	13-127
4-Nitrophenol	3,460		1,300	4,990	69.4	47-130
Dibenzofuran	3,450		499	4,990	69.2	49-104
2,4-Dinitrotoluene	3,810		499	4,990	76.3	54-112
Fluorene	3,470		200	4,990	69.6	49-112
Diethyl phthalate	3,660		499	4,990	73.4	45-136
4-Chlorophenyl phenyl ether	3,540		499	4,990	71.0	47-113

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

LCS (B3D2403-BS1)

Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
4-Nitroaniline	4,010		798	4,990	80.3	61-137
4,6-Dinitro-2-methylphenol	3,600		2,000	4,990	72.2	19-136
N-Nitrosodiphenylamine	3,830		499	4,990	76.8	53-112
4-Bromophenyl phenyl ether	3,760		499	4,990	75.4	50-109
Hexachlorobenzene	3,790		499	4,990	75.9	48-111
Atrazine	4,020		499	4,990	80.7	61-126
Pentachlorophenol	3,590		499	4,990	71.9	16-122
Phenanthrene	3,640		200	4,990	73.0	51-113
Anthracene	3,720		200	4,990	74.5	51-114
Carbazole	3,770		499	4,990	75.7	59-124
Di-n-butyl phthalate	3,820		499	4,990	76.5	57-139
Fluoranthene	3,670		200	4,990	73.5	58-120
Pyrene	3,970		200	4,990	79.5	51-119
Butyl benzyl phthalate	3,880		499	4,990	77.8	65-124
Benzo (a) anthracene	3,800		499	4,990	76.2	59-121
3,3´-Dichlorobenzidine	3,530		499	4,990	70.8	56-149
Chrysene	3,770		499	4,990	75.5	58-122
Bis(2-ethylhexyl)phthalate	3,760		499	4,990	75.4	59-146
Di-n-octyl phthalate	3,960		499	4,990	79.4	66-127
Benzo (b) fluoranthene	3,960		499	4,990	79.4	60-119
Benzo (k) fluoranthene	3,660		499	4,990	73.3	57-130
Benzo (a) pyrene	3,900		499	4,990	78.2	65-124
Indeno (1,2,3-cd) pyrene	3,780		499	4,990	75.7	61-137
Dibenz (a,h) anthracene	4,040		499	4,990	81.0	61-137
Benzo (g,h,i) perylene	3,130		499	4,990	62.7	54-139

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Matrix Spike (B3D2403-MS1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	5,240		9,690	54.1	38-101
Phenol-d5	6,160		9,690	63.5	42-105
2-Chlorophenol-d4	5,370		9,690	55.5	40-100
1,2-Dichlorobenzene-d4	2,840		6,460	44.0	37-100
Nitrobenzene-d5	3,990		6,460	61.8	42-108
2-Fluorobiphenyl	4,920		6,460	76.2	51-103
2,4,6-Tribromophenol	10,300		9,690	107	55-115
Terphenyl-d14	5,680		6,460	87.9	55-125

Matrix Spike (B3D2403-MS1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Benzaldehyde	2,360		646	6,460		36.5	21-102
Phenol	4,020		646	6,460		62.3	32-96
Bis(2-chloroethyl)ether	3,330		646	6,460		51.5	31-104
2-Chlorophenol	3,770		646	6,460		58.3	28-94
1,3-Dichlorobenzene	2,830		646	6,460		43.8	38-95
1,4-Dichlorobenzene	2,900		646	6,460		44.8	27-83
Benzyl alcohol	4,360		646	6,460		67.6	44-106
1,2-Dichlorobenzene	3,170		646	6,460		49.1	39-97
2-Methylphenol	4,270		646	6,460		66.1	43-102
Bis(2-chloro-1-methylethyl)ether	3,490		646	6,460		54.1	36-102
Acetophenone	3,930		646	6,460		60.8	36-110
3 &/or 4-Methylphenol	4,390		646	6,460		68.0	46-106
N-Nitrosodi-n-propylamine	4,110		646	6,460		63.6	29-97
Hexachloroethane	2,920		646	6,460		45.3	36-96
Nitrobenzene	3,930		646	6,460		60.8	44-105
Isophorone	4,280		646	6,460		66.3	49-103

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Matrix Spike (B3D2403-MS1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
2-Nitrophenol	4,400		646	6,460		68.2	44-114
2,4-Dimethylphenol	4,770		646	6,460		73.9	28-111
Bis(2-chloroethoxy)methane	4,230		646	6,460		65.4	48-103
Benzoic acid	3,890		1,290	6,460	516	52.2	10-115
2,4-Dichlorophenol	4,920		646	6,460		76.2	50-117
1,2,4-Trichlorobenzene	3,990		646	6,460		61.8	24-105
Naphthalene	4,050		258	6,460		62.7	46-102
4-Chloroaniline	2,910		646	6,460		45.0	35-102
Hexachlorobutadiene	3,850		646	6,460		59.6	47-102
Caprolactam	6,160		646	6,460		95.4	48-156
4-Chloro-3-methylphenol	5,570		646	6,460		86.2	38-126
2-Methylnaphthalene	4,520		258	6,460		70.0	50-105
Hexachlorocyclopentadiene	3,590		646	6,460		55.6	21-113
2,4,6-Trichlorophenol	5,670		646	6,460		87.8	48-113
2,4,5-Trichlorophenol	5,600		646	6,460		86.7	52-121
2-Chloronaphthalene	4,820		646	6,460		74.7	48-105
1,1'-Biphenyl	4,900		646	6,460		75.9	40-118
2-Nitroaniline	6,110		1,030	6,460		94.6	53-124
Dimethyl phthalate	5,570		646	6,460		86.3	56-117
Acenaphthylene	5,090		258	6,460		78.7	48-111
2,6-Dinitrotoluene	5,890		646	6,460	109	89.5	56-120
3-Nitroaniline	4,030		1,030	6,460		62.5	51-122
Acenaphthene	5,060		258	6,460		78.4	34-107
2,4-Dinitrophenol	5,940		2,580	6,460		92.0	10-129
4-Nitrophenol	5,540		1,680	6,460		85.7	35-138
Dibenzofuran	5,200		646	6,460		80.5	50-111
2,4-Dinitrotoluene	6,150		646	6,460	323	90.2	38-123
Fluorene	5,410		258	6,460		83.7	51-116
Diethyl phthalate	5,530		646	6,460		85.6	51-136
4-Chlorophenyl phenyl ether	5,450		646	6,460		84.4	48-119

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Matrix Spike (B3D2403-MS1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
4-Nitroaniline	5,080		1,030	6,460		78.6	62-140
4,6-Dinitro-2-methylphenol	6,010		2,580	6,460		93.1	10-130
N-Nitrosodiphenylamine	6,100		646	6,460		94.4	56-120
4-Bromophenyl phenyl ether	6,210		646	6,460		96.1	55-116
Hexachlorobenzene	6,020		646	6,460		93.2	55-116
Atrazine	5,910		646	6,460		91.4	63-133
Pentachlorophenol	4,840		646	6,460	68.1	73.8	10-126
Phenanthrene	5,920		258	6,460		91.6	52-121
Anthracene	5,120		258	6,460		79.3	53-123
Carbazole	4,940		646	6,460		76.5	61-133
Di-n-butyl phthalate	5,120		646	6,460		79.3	51-148
Fluoranthene	5,330		258	6,460		82.5	60-130
Pyrene	5,770		258	6,460		89.3	39-129
Butyl benzyl phthalate	5,550		646	6,460		85.9	59-140
Benzo (a) anthracene	5,980		646	6,460		92.6	58-129
3,3´-Dichlorobenzidine	44.3		646	6,460		0.686#	54-148
Chrysene	5,510		646	6,460		85.2	58-128
Bis(2-ethylhexyl)phthalate	5,550		646	6,460	254	82.0	56-153
Di-n-octyl phthalate	6,070		646	6,460		93.9	61-138
Benzo (b) fluoranthene	6,780		646	6,460		105	65-126
Benzo (k) fluoranthene	5,100		646	6,460		79.0	59-135
Benzo (a) pyrene	5,690		646	6,460		88.1	69-125
Indeno (1,2,3-cd) pyrene	3,970		646	6,460		61.4 #	62-133
Dibenz (a,h) anthracene	4,330		646	6,460		67.1	62-135
Benzo (g,h,i) perylene	3,100		646	6,460		48.0 #	50-137

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Matrix Spike Dup (B3D2403-MSD1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	5,440		9,780	55.6	38-101
Phenol-d5	6,270		9,780	64.1	42-105
2-Chlorophenol-d4	5,560		9,780	56.8	40-100
1,2-Dichlorobenzene-d4	3,020		6,520	46.2	37-100
Nitrobenzene-d5	4,040		6,520	61.9	42-108
2-Fluorobiphenyl	4,960		6,520	76.0	51-103
2,4,6-Tribromophenol	10,400		9,780	106	55-115
Terphenyl-d14	6,390		6,520	98.0	55-125

Matrix Spike Dup (B3D2403-MSD1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Benzaldehyde	2,660		652	6,520		40.7	21-102	12.0	30
Phenol	4,190		652	6,520		64.3	32-96	4.12	38
Bis(2-chloroethyl)ether	3,530		652	6,520		54.1	31-104	6.01	30
2-Chlorophenol	3,940		652	6,520		60.4	28-94	4.47	37
1,3-Dichlorobenzene	3,040		652	6,520		46.6	38-95	7.28	30
1,4-Dichlorobenzene	3,140		652	6,520		48.1	27-83	8.03	36
Benzyl alcohol	4,540		652	6,520		69.6	44-106	4.03	30
1,2-Dichlorobenzene	3,380		652	6,520		51.8	39-97	6.28	30
2-Methylphenol	4,450		652	6,520		68.2	43-102	4.04	30
Bis(2-chloro-1-methylethyl)ether	3,690		652	6,520		56.6	36-102	5.55	30
Acetophenone	4,120		652	6,520		63.2	36-110	4.77	30
3 &/or 4-Methylphenol	4,580		652	6,520		70.2	46-106	4.11	30
N-Nitrosodi-n-propylamine	4,260		652	6,520		65.4	29-97	3.73	33
Hexachloroethane	3,160		652	6,520		48.4	36-96	7.77	30
Nitrobenzene	4,080		652	6,520		62.5	44-105	3.73	30
Isophorone	4,400		652	6,520		67.5	49-103	2.77	30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Matrix Spike Dup (B3D2403-MSD1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Nitrophenol	4,570		652	6,520		70.0	44-114	3.60	30
2,4-Dimethylphenol	4,760		652	6,520		73.0	28-111	0.28	30
Bis(2-chloroethoxy)methane	4,390		652	6,520		67.3	48-103	3.85	30
Benzoic acid	4,290		1,300	6,520	516	57.9	10-115	9.83	30
2,4-Dichlorophenol	5,040		652	6,520		77.3	50-117	2.42	30
1,2,4-Trichlorobenzene	4,110		652	6,520		63.0	24-105	2.91	34
Naphthalene	4,230		261	6,520		64.9	46-102	4.36	30
4-Chloroaniline	2,870		652	6,520		44.0	35-102	1.35	30
Hexachlorobutadiene	3,960		652	6,520		60.7	47-102	2.81	30
Caprolactam	6,110		652	6,520		93.6	48-156	0.88	30
4-Chloro-3-methylphenol	5,640		652	6,520		86.4	38-126	1.23	36
2-Methylnaphthalene	4,670		261	6,520		71.6	50-105	3.16	30
Hexachlorocyclopentadiene	3,770		652	6,520		57.8	21-113	4.83	30
2,4,6-Trichlorophenol	5,770		652	6,520		88.4	48-113	1.71	30
2,4,5-Trichlorophenol	5,400		652	6,520		82.8	52-121	3.59	30
2-Chloronaphthalene	4,890		652	6,520		74.9	48-105	1.28	30
1,1'-Biphenyl	4,900		652	6,520		75.1	40-118	0.10	30
2-Nitroaniline	6,000		1,040	6,520		92.0	53-124	1.82	30
Dimethyl phthalate	5,450		652	6,520		83.5	56-117	2.31	30
Acenaphthylene	5,110		261	6,520		78.3	48-111	0.44	30
2,6-Dinitrotoluene	5,830		652	6,520	109	87.8	56-120	0.95	30
3-Nitroaniline	3,140		1,040	6,520		48.1	# 51-122	25.1	30
Acenaphthene	5,050		261	6,520		77.4	34-107	0.30	31
2,4-Dinitrophenol	6,080		2,610	6,520		93.1	10-129	2.20	30
4-Nitrophenol	5,320		1,700	6,520		81.6	35-138	3.97	39
Dibenzofuran	5,250		652	6,520		80.5	50-111	0.99	30
2,4-Dinitrotoluene	6,030		652	6,520	323	87.6	38-123	1.90	32
Fluorene	5,370		261	6,520		82.3	51-116	0.73	30
Diethyl phthalate	5,350		652	6,520		82.0	51-136	3.34	30
4-Chlorophenyl phenyl ether	5,450		652	6,520		83.5	48-119	0.05	30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2403 **Sample Type: Solid**

Matrix Spike Dup (B3D2403-MSD1)

Source: 1304030-01 Prepared: 4/24/2013 Analyzed: 4/25/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
4-Nitroaniline	4,620		1,040	6,520		70.8	62-140	9.43	30
4,6-Dinitro-2-methylphenol	6,590		2,610	6,520		101	10-130	9.07	30
N-Nitrosodiphenylamine	6,090		652	6,520		93.4	56-120	0.15	30
4-Bromophenyl phenyl ether	6,080		652	6,520		93.2	55-116	2.15	30
Hexachlorobenzene	5,850		652	6,520		89.6	55-116	2.92	30
Atrazine	5,550		652	6,520		85.0	63-133	6.27	30
Pentachlorophenol	4,680		652	6,520	68.1	70.7	10-126	3.25	45
Phenanthrene	5,710		261	6,520		87.6	52-121	3.55	30
Anthracene	4,980		261	6,520		76.4	53-123	2.76	30
Carbazole	4,360		652	6,520		66.8	61-133	12.5	30
Di-n-butyl phthalate	5,370		652	6,520		82.4	51-148	4.75	30
Fluoranthene	5,040		261	6,520		77.3	60-130	5.53	30
Pyrene	6,370		261	6,520		97.6	39-129	9.90	34
Butyl benzyl phthalate	5,760		652	6,520		88.2	59-140	3.64	30
Benzo (a) anthracene	5,830		652	6,520		89.4	58-129	2.53	30
3,3´-Dichlorobenzidine	U		652	6,520		NR #	54-148	NR #	30
Chrysene	5,540		652	6,520		84.9	58-128	0.59	30
Bis(2-ethylhexyl)phthalate	5,750		652	6,520	254	84.2	56-153	3.53	30
Di-n-octyl phthalate	5,860		652	6,520		89.8	61-138	3.46	30
Benzo (b) fluoranthene	5,810		652	6,520		89.1	65-126	15.4	30
Benzo (k) fluoranthene	5,540		652	6,520		84.9	59-135	8.25	30
Benzo (a) pyrene	5,450		652	6,520		83.5	69-125	4.43	30
Indeno (1,2,3-cd) pyrene	4,300		652	6,520		65.9	62-133	8.11	30
Dibenz (a,h) anthracene	4,770		652	6,520		73.1	62-135	9.52	30
Benzo (g,h,i) perylene	3,400		652	6,520		52.0	50-137	9.14	30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

Blank (B3D2504-BLK1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	2,100		2,480	84.7	38-101
Phenol-d5	2,200		2,480	88.6	42-105
2-Chlorophenol-d4	1,990		2,480	80.3	40-100
1,2-Dichlorobenzene-d4	1,240		1,660	74.8	37-100
Nitrobenzene-d5	1,400		1,660	84.4	42-108
2-Fluorobiphenyl	1,530		1,660	92.2	51-103
2,4,6-Tribromophenol	2,650		2,480	107	55-115
Terphenyl-d14	1,770		1,660	107	55-125

Blank (B3D2504-BLK1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
Benzaldehyde	U		166
Phenol	U		166
Bis(2-chloroethyl)ether	U		166
2-Chlorophenol	U		166
1,3-Dichlorobenzene	U		166
1,4-Dichlorobenzene	U		166
Benzyl alcohol	U		166
1,2-Dichlorobenzene	U		166
2-Methylphenol	U		166
Bis(2-chloro-1-methylethyl)ether	U		166
Acetophenone	U		166
3 &/or 4-Methylphenol	U		166
N-Nitrosodi-n-propylamine	U		166
Hexachloroethane	U		166
Nitrobenzene	U		166
Isophorone	U		166

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

Blank (B3D2504-BLK1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
2-Nitrophenol	U		166
2,4-Dimethylphenol	U		166
Bis(2-chloroethoxy)methane	U		166
Benzoic acid	U		331
2,4-Dichlorophenol	U		166
1,2,4-Trichlorobenzene	U		166
Naphthalene	U		66.2
4-Chloroaniline	U		166
Hexachlorobutadiene	U		166
Caprolactam	U		166
4-Chloro-3-methylphenol	U		166
2-Methylnaphthalene	U		66.2
Hexachlorocyclopentadiene	U		166
2,4,6-Trichlorophenol	U		166
2,4,5-Trichlorophenol	U		166
2-Chloronaphthalene	U		166
1,1'-Biphenyl	U		166
2-Nitroaniline	U		265
Dimethyl phthalate	U		166
Acenaphthylene	U		66.2
2,6-Dinitrotoluene	U		166
3-Nitroaniline	U		265
Acenaphthene	U		66.2
2,4-Dinitrophenol	U		662
4-Nitrophenol	U		430
Dibenzofuran	U		166
2,4-Dinitrotoluene	U		166
Fluorene	U		66.2
Diethyl phthalate	U		166
4-Chlorophenyl phenyl ether	U		166

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

Blank (B3D2504-BLK1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
4-Nitroaniline	U		265
4,6-Dinitro-2-methylphenol	U		662
N-Nitrosodiphenylamine	U		166
4-Bromophenyl phenyl ether	U		166
Hexachlorobenzene	U		166
Atrazine	U		166
Pentachlorophenol	U		166
Phenanthrene	U		66.2
Anthracene	U		66.2
Carbazole	U		166
Di-n-butyl phthalate	U		166
Fluoranthene	U		66.2
Pyrene	U		66.2
Butyl benzyl phthalate	U		166
Benzo (a) anthracene	U		166
3,3´-Dichlorobenzidine	U		166
Chrysene	U		166
Bis(2-ethylhexyl)phthalate	U		166
Di-n-octyl phthalate	U		166
Benzo (b) fluoranthene	U		166
Benzo (k) fluoranthene	U		166
Benzo (a) pyrene	U		166
Indeno (1,2,3-cd) pyrene	U		166
Dibenz (a,h) anthracene	U		166
Benzo (g,h,i) perylene	U		166

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

Blank (B3D2504-BLK2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	1,770		2,480	71.5	38-101
Phenol-d5	1,880		2,480	75.5	42-105
2-Chlorophenol-d4	1,700		2,480	68.3	40-100
1,2-Dichlorobenzene-d4	1,010		1,660	60.9	37-100
Nitrobenzene-d5	1,250		1,660	75.7	42-108
2-Fluorobiphenyl	1,370		1,660	82.9	51-103
2,4,6-Tribromophenol	2,270		2,480	91.2	55-115
Terphenyl-d14	1,430		1,660	86.5	55-125

Blank (B3D2504-BLK2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
Benzaldehyde	U		166
Phenol	U		166
Bis(2-chloroethyl)ether	U		166
2-Chlorophenol	U		166
1,3-Dichlorobenzene	U		166
1,4-Dichlorobenzene	U		166
Benzyl alcohol	U		166
1,2-Dichlorobenzene	U		166
2-Methylphenol	U		166
Bis(2-chloro-1-methylethyl)ether	U		166
Acetophenone	U		166
3 &/or 4-Methylphenol	U		166
N-Nitrosodi-n-propylamine	U		166
Hexachloroethane	U		166
Nitrobenzene	U		166
Isophorone	U		166

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

Blank (B3D2504-BLK2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
2-Nitrophenol	U		166
2,4-Dimethylphenol	U		166
Bis(2-chloroethoxy)methane	U		166
Benzoic acid	U		331
2,4-Dichlorophenol	U		166
1,2,4-Trichlorobenzene	U		166
Naphthalene	U		66.2
4-Chloroaniline	U		166
Hexachlorobutadiene	U		166
Caprolactam	U		166
4-Chloro-3-methylphenol	U		166
2-Methylnaphthalene	U		66.2
Hexachlorocyclopentadiene	U		166
2,4,6-Trichlorophenol	U		166
2,4,5-Trichlorophenol	U		166
2-Chloronaphthalene	U		166
1,1'-Biphenyl	U		166
2-Nitroaniline	U		265
Dimethyl phthalate	U		166
Acenaphthylene	U		66.2
2,6-Dinitrotoluene	U		166
3-Nitroaniline	U		265
Acenaphthene	U		66.2
2,4-Dinitrophenol	U		662
4-Nitrophenol	U		430
Dibenzofuran	U		166
2,4-Dinitrotoluene	U		166
Fluorene	U		66.2
Diethyl phthalate	U		166
4-Chlorophenyl phenyl ether	U		166

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

Blank (B3D2504-BLK2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit
4-Nitroaniline	U		265
4,6-Dinitro-2-methylphenol	U		662
N-Nitrosodiphenylamine	U		166
4-Bromophenyl phenyl ether	U		166
Hexachlorobenzene	U		166
Atrazine	U		166
Pentachlorophenol	U		166
Phenanthrene	U		66.2
Anthracene	U		66.2
Carbazole	U		166
Di-n-butyl phthalate	U		166
Fluoranthene	U		66.2
Pyrene	U		66.2
Butyl benzyl phthalate	U		166
Benzo (a) anthracene	U		166
3,3´-Dichlorobenzidine	U		166
Chrysene	U		166
Bis(2-ethylhexyl)phthalate	U		166
Di-n-octyl phthalate	U		166
Benzo (b) fluoranthene	U		166
Benzo (k) fluoranthene	U		166
Benzo (a) pyrene	U		166
Indeno (1,2,3-cd) pyrene	U		166
Dibenz (a,h) anthracene	U		166
Benzo (g,h,i) perylene	U		166

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

LCS (B3D2504-BS1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	2,070		2,490	82.9	38-101
Phenol-d5	2,140		2,490	86.0	42-105
2-Chlorophenol-d4	1,950		2,490	78.4	40-100
1,2-Dichlorobenzene-d4	1,220		1,660	73.2	37-100
Nitrobenzene-d5	1,380		1,660	82.8	42-108
2-Fluorobiphenyl	1,510		1,660	90.6	51-103
2,4,6-Tribromophenol	2,890		2,490	116 #	55-115
Terphenyl-d14	1,780		1,660	107	55-125

LCS (B3D2504-BS1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Benzaldehyde	1,890		166	1,660	114 #	30-100
Phenol	1,400		166	1,660	84.2	40-101
Bis(2-chloroethyl)ether	1,310		166	1,660	79.0	37-100
2-Chlorophenol	1,370		166	1,660	82.5	41-100
1,3-Dichlorobenzene	1,250		166	1,660	75.4	36-100
1,4-Dichlorobenzene	1,080		166	1,660	65.2	32-100
Benzyl alcohol	1,370		166	1,660	82.3	42-102
1,2-Dichlorobenzene	1,240		166	1,660	74.6	35-100
2-Methylphenol	1,330		166	1,660	80.3	44-100
Bis(2-chloro-1-methylethyl)ether	1,290		166	1,660	77.8	41-100
Acetophenone	1,370		166	1,660	82.3	42-100
3 &/or 4-Methylphenol	1,380		166	1,660	82.8	45-100
N-Nitrosodi-n-propylamine	1,380		166	1,660	83.3	43-100
Hexachloroethane	1,180		166	1,660	71.3	35-100
Nitrobenzene	1,300		166	1,660	78.0	43-100
Isophorone	1,360		166	1,660	81.8	47-100

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

LCS (B3D2504-BS1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
2-Nitrophenol	1,540		166	1,660	92.8	46-101
2,4-Dimethylphenol	860		166	1,660	51.7	26-100
Bis(2-chloroethoxy)methane	1,380		166	1,660	82.9	47-100
Benzoic acid	1,560		332	1,660	93.8	10-125
2,4-Dichlorophenol	1,480		166	1,660	88.9	49-101
1,2,4-Trichlorobenzene	1,300		166	1,660	78.2	40-100
Naphthalene	1,330		66.5	1,660	79.9	44-100
4-Chloroaniline	1,250		166	1,660	75.3	37-100
Hexachlorobutadiene	1,290		166	1,660	77.5	42-101
Caprolactam	2,070		166	1,660	125	55-142
4-Chloro-3-methylphenol	1,590		166	1,660	95.6	47-114
2-Methylnaphthalene	1,390		66.5	1,660	83.3	47-101
Hexachlorocyclopentadiene	1,560		166	1,660	93.6	25-108
2,4,6-Trichlorophenol	1,580		166	1,660	95.3	48-105
2,4,5-Trichlorophenol	1,680		166	1,660	101	50-108
2-Chloronaphthalene	1,400		166	1,660	84.4	45-101
1,1'-Biphenyl	1,450		166	1,660	87.3	41-107
2-Nitroaniline	1,680		266	1,660	101	53-112
Dimethyl phthalate	1,590		166	1,660	95.9	53-111
Acenaphthylene	1,460		66.5	1,660	87.7	49-102
2,6-Dinitrotoluene	1,670		166	1,660	100	53-112
3-Nitroaniline	1,540		266	1,660	92.4	50-117
Acenaphthene	1,460		66.5	1,660	87.8	47-101
2,4-Dinitrophenol	1,380		665	1,660	83.0	13-127
4-Nitrophenol	1,900		432	1,660	114	47-130
Dibenzofuran	1,480		166	1,660	89.3	49-104
2,4-Dinitrotoluene	1,760		166	1,660	106	54-112
Fluorene	1,530		66.5	1,660	91.8	49-112
Diethyl phthalate	1,690		166	1,660	102	45-136
4-Chlorophenyl phenyl ether	1,540		166	1,660	92.6	47-113

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

LCS (B3D2504-BS1)

Prepared: 4/26/2013 Analyzed: 5/20/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC		%REC Limits
4-Nitroaniline	1,890		266	1,660	114		61-137
4,6-Dinitro-2-methylphenol	1,680		665	1,660	101		19-136
N-Nitrosodiphenylamine	1,670		166	1,660	100		53-112
4-Bromophenyl phenyl ether	1,630		166	1,660	97.8		50-109
Hexachlorobenzene	1,660		166	1,660	99.9		48-111
Atrazine	1,910		166	1,660	115		61-126
Pentachlorophenol	1,330		166	1,660	80.1		16-122
Phenanthrene	1,620		66.5	1,660	97.6		51-113
Anthracene	1,610		66.5	1,660	96.9		51-114
Carbazole	1,640		166	1,660	98.4		59-124
Di-n-butyl phthalate	1,790		166	1,660	108		57-139
Fluoranthene	1,640		66.5	1,660	98.9		58-120
Pyrene	1,810		66.5	1,660	109		51-119
Butyl benzyl phthalate	2,190		166	1,660	132	#	65-124
Benzo (a) anthracene	1,730		166	1,660	104		59-121
3,3´-Dichlorobenzidine	1,970		166	1,660	118		56-149
Chrysene	1,740		166	1,660	105		58-122
Bis(2-ethylhexyl)phthalate	2,060		166	1,660	124		59-146
Di-n-octyl phthalate	1,980		166	1,660	119		66-127
Benzo (b) fluoranthene	1,820		166	1,660	110		60-119
Benzo (k) fluoranthene	1,920		166	1,660	115		57-130
Benzo (a) pyrene	1,800		166	1,660	108		65-124
Indeno (1,2,3-cd) pyrene	1,650		166	1,660	99.4		61-137
Dibenz (a,h) anthracene	1,740		166	1,660	105		61-137
Benzo (g,h,i) perylene	1,600		166	1,660	96.1		54-139

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

LCS (B3D2504-BS2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Surrogates

ANALYTE	Result µg/Kg dry	Analyte Qualifier	Spike Level	%REC	%REC Limits
2-Fluorophenol	1,810		2,490	72.7	38-101
Phenol-d5	1,860		2,490	74.5	42-105
2-Chlorophenol-d4	1,700		2,490	68.3	40-100
1,2-Dichlorobenzene-d4	1,020		1,660	61.2	37-100
Nitrobenzene-d5	1,260		1,660	75.5	42-108
2-Fluorobiphenyl	1,380		1,660	82.9	51-103
2,4,6-Tribromophenol	2,480		2,490	99.3	55-115
Terphenyl-d14	1,410		1,660	85.0	55-125

LCS (B3D2504-BS2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Targets

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Benzaldehyde	1,300		166	1,660	78.1	30-100
Phenol	1,210		166	1,660	72.9	40-101
Bis(2-chloroethyl)ether	1,150		166	1,660	69.0	37-100
2-Chlorophenol	1,190		166	1,660	71.3	41-100
1,3-Dichlorobenzene	1,060		166	1,660	63.6	36-100
1,4-Dichlorobenzene	1,070		166	1,660	64.2	32-100
Benzyl alcohol	1,300		166	1,660	78.0	42-102
1,2-Dichlorobenzene	1,100		166	1,660	66.2	35-100
2-Methylphenol	1,170		166	1,660	70.2	44-100
Bis(2-chloro-1-methylethyl)ether	1,140		166	1,660	68.8	41-100
Acetophenone	1,170		166	1,660	70.4	42-100
3 &/or 4-Methylphenol	1,140		166	1,660	68.7	45-100
N-Nitrosodi-n-propylamine	1,220		166	1,660	73.4	43-100
Hexachloroethane	1,050		166	1,660	63.1	35-100
Nitrobenzene	1,210		166	1,660	73.1	43-100
Isophorone	1,200		166	1,660	72.2	47-100

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

LCS (B3D2504-BS2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
2-Nitrophenol	1,340		166	1,660	80.9	46-101
2,4-Dimethylphenol	650		166	1,660	39.1	26-100
Bis(2-chloroethoxy)methane	1,270		166	1,660	76.7	47-100
Benzoic acid	1,090		332	1,660	65.6	10-125
2,4-Dichlorophenol	1,330		166	1,660	79.8	49-101
1,2,4-Trichlorobenzene	1,220		166	1,660	73.6	40-100
Naphthalene	1,220		66.5	1,660	73.1	44-100
4-Chloroaniline	1,020		166	1,660	61.2	37-100
Hexachlorobutadiene	1,200		166	1,660	72.0	42-101
Caprolactam	1,640		166	1,660	99.0	55-142
4-Chloro-3-methylphenol	1,430		166	1,660	85.8	47-114
2-Methylnaphthalene	1,250		66.5	1,660	75.0	47-101
Hexachlorocyclopentadiene	1,190		166	1,660	71.7	25-108
2,4,6-Trichlorophenol	1,390		166	1,660	83.6	48-105
2,4,5-Trichlorophenol	1,530		166	1,660	92.3	50-108
2-Chloronaphthalene	1,270		166	1,660	76.5	45-101
1,1'-Biphenyl	1,280		166	1,660	77.2	41-107
2-Nitroaniline	1,570		266	1,660	94.2	53-112
Dimethyl phthalate	1,440		166	1,660	86.4	53-111
Acenaphthylene	1,330		66.5	1,660	80.1	49-102
2,6-Dinitrotoluene	1,550		166	1,660	93.6	53-112
3-Nitroaniline	1,300		266	1,660	78.5	50-117
Acenaphthene	1,310		66.5	1,660	78.6	47-101
2,4-Dinitrophenol	1,280		665	1,660	77.2	13-127
4-Nitrophenol	1,490		432	1,660	89.6	47-130
Dibenzofuran	1,340		166	1,660	80.4	49-104
2,4-Dinitrotoluene	1,560		166	1,660	93.6	54-112
Fluorene	1,350		66.5	1,660	81.4	49-112
Diethyl phthalate	1,460		166	1,660	87.6	45-136
4-Chlorophenyl phenyl ether	1,400		166	1,660	84.0	47-113

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Semivolatiles by EPA Method 8270 - GC/MS - Quality Control

Batch: B3D2504 **Sample Type: Solid**

LCS (B3D2504-BS2)

Prepared: 4/26/2013 Analyzed: 5/21/2013

Targets (Continued)

ANALYTE	Result µg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
4-Nitroaniline	1,710		266	1,660	103	61-137
4,6-Dinitro-2-methylphenol	1,520		665	1,660	91.7	19-136
N-Nitrosodiphenylamine	1,500		166	1,660	90.0	53-112
4-Bromophenyl phenyl ether	1,540		166	1,660	92.9	50-109
Hexachlorobenzene	1,510		166	1,660	90.6	48-111
Atrazine	1,550		166	1,660	93.3	61-126
Pentachlorophenol	1,270		166	1,660	76.6	16-122
Phenanthrene	1,420		66.5	1,660	85.5	51-113
Anthracene	1,430		66.5	1,660	85.9	51-114
Carbazole	1,450		166	1,660	87.4	59-124
Di-n-butyl phthalate	1,420		166	1,660	85.3	57-139
Fluoranthene	1,410		66.5	1,660	84.6	58-120
Pyrene	1,430		66.5	1,660	86.3	51-119
Butyl benzyl phthalate	1,410		166	1,660	85.1	65-124
Benzo (a) anthracene	1,460		166	1,660	88.0	59-121
3,3´-Dichlorobenzidine	1,340		166	1,660	80.3	56-149
Chrysene	1,460		166	1,660	87.9	58-122
Bis(2-ethylhexyl)phthalate	1,360		166	1,660	81.6	59-146
Di-n-octyl phthalate	1,530		166	1,660	91.9	66-127
Benzo (b) fluoranthene	1,470		166	1,660	88.4	60-119
Benzo (k) fluoranthene	1,390		166	1,660	83.9	57-130
Benzo (a) pyrene	1,450		166	1,660	87.2	65-124
Indeno (1,2,3-cd) pyrene	1,500		166	1,660	90.3	61-137
Dibenz (a,h) anthracene	1,600		166	1,660	96.3	61-137
Benzo (g,h,i) perylene	1,360		166	1,660	81.6	54-139

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3005 **Sample Type: Liquid**

Blank (B3D3005-BLK1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit
Aluminum	U		100
Barium	U		10.0
Beryllium	U		5.0
Cadmium	U		5.0
Calcium	U		150
Chromium	U		10.0
Cobalt	U		20.0
Copper	U		20.0
Iron	U		25.0
Magnesium	U		150
Manganese	U		5.0
Nickel	U		20.0
Potassium	U		1,000
Silver	U		10.0
Sodium	U		500
Vanadium	U		20.0
Zinc	U		20.0

LCS (B3D3005-BS1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Aluminum	1,010		100	1,000	101	75-125
Barium	1,920		10.0	2,000	96.1	75-125
Beryllium	49.1		5.0	50.0	98.3	75-125
Cadmium	48.9		5.0	50.0	97.7	75-125
Calcium	97,200		150	100,000	97.2	75-125
Chromium	390		10.0	400	97.4	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3005 **Sample Type: Liquid**

LCS (B3D3005-BS1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Cobalt	183		20.0	200	91.4	75-125
Copper	385		20.0	400	96.3	75-125
Iron	970		25.0	1,000	97.0	75-125
Magnesium	99,900		150	100,000	99.9	75-125
Manganese	385		5.0	400	96.3	75-125
Nickel	364		20.0	400	91.1	75-125
Potassium	102,000		1,000	100,000	102	75-125
Silver	45.3		10.0	50.0	90.6	75-125
Sodium	99,800		500	100,000	99.8	75-125
Vanadium	406		20.0	400	102	75-125
Zinc	946		20.0	1,000	94.6	75-125

Matrix Spike (B3D3005-MS1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Aluminum	5,530		100	1,000	1,150	438 #	75-125
Barium	2,200		10.0	2,000	282	95.7	75-125
Beryllium	50.7		5.0	50.0	0.2	101	75-125
Cadmium	49.6		5.0	50.0	1.0	97.4	75-125
Calcium	112,000		150	100,000	13,300	98.2	75-125
Chromium	394		10.0	400	1.3	98.2	75-125
Cobalt	188		20.0	200	2.2	92.9	75-125
Copper	399		20.0	400	3.8	98.9	75-125
Iron	7,810		25.0	1,000	6,550	126 #	75-125
Magnesium	103,000		150	100,000	1,240	102	75-125
Manganese	662		5.0	400	304	89.6	75-125
Nickel	369		20.0	400	2.6	91.5	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3005 **Sample Type: Liquid**

Matrix Spike (B3D3005-MS1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets (Continued)

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Potassium	120,000		1,000	100,000	15,400	104	75-125
Silver	46.5		10.0	50.0	0.6	91.8	75-125
Sodium	104,000		500	100,000	2,230	102	75-125
Vanadium	420		20.0	400	9.7	103	75-125
Zinc	967		20.0	1,000	18.9	94.8	75-125

Matrix Spike Dup (B3D3005-MSD1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	5,530		100	1,000	1,150	438 #	75-125	0.06	20
Barium	2,190		10.0	2,000	282	95.5	75-125	0.18	20
Beryllium	50.6		5.0	50.0	0.2	101	75-125	0.10	20
Cadmium	50.0		5.0	50.0	1.0	98.1	75-125	0.79	20
Calcium	110,000		150	100,000	13,300	97.2	75-125	0.95	20
Chromium	396		10.0	400	1.3	98.8	75-125	0.63	20
Cobalt	190		20.0	200	2.2	93.7	75-125	0.83	20
Copper	401		20.0	400	3.8	99.3	75-125	0.40	20
Iron	7,730		25.0	1,000	6,550	118	75-125	1.06	20
Magnesium	103,000		150	100,000	1,240	101	75-125	0.81	20
Manganese	662		5.0	400	304	89.7	75-125	0.08	20
Nickel	371		20.0	400	2.6	92.1	75-125	0.66	20
Potassium	118,000		1,000	100,000	15,400	103	75-125	1.05	20
Silver	45.9		10.0	50.0	0.6	90.7	75-125	1.21	20
Sodium	104,000		500	100,000	2,230	101	75-125	0.82	20
Vanadium	420		20.0	400	9.7	103	75-125	0.06	20
Zinc	965		20.0	1,000	18.9	94.6	75-125	0.20	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3007 **Sample Type: Solid**

Blank (B3D3007-BLK1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit
Aluminum	U		10.0
Barium	U		1.0
Beryllium	U		0.5
Cadmium	U		0.5
Calcium	U		15.0
Chromium	U		1.0
Cobalt	U		2.0
Copper	U		2.0
Iron	U		2.5
Magnesium	U		15.0
Manganese	U		0.5
Nickel	U		2.0
Potassium	U		100
Silver	U		1.0
Sodium	U		50.0
Vanadium	U		2.0
Zinc	U		2.0

LCS (B3D3007-BS1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Aluminum	100		10.0	100	100	75-125
Barium	191		1.0	200	95.3	75-125
Beryllium	5.0		0.5	5.00	99.1	75-125
Cadmium	4.8		0.5	5.00	96.5	75-125
Calcium	9,730		15.0	10,000	97.3	75-125
Chromium	38.7		1.0	40.0	96.7	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3007 **Sample Type: Solid**

LCS (B3D3007-BS1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets (Continued)

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Cobalt	18.3		2.0	20.0	91.7	75-125
Copper	38.5		2.0	40.0	96.4	75-125
Iron	96.3		2.5	100	96.3	75-125
Magnesium	10,000		15.0	10,000	100	75-125
Manganese	38.3		0.5	40.0	95.7	75-125
Nickel	36.4		2.0	40.0	90.9	75-125
Potassium	10,300		100	10,000	103	75-125
Silver	4.8		1.0	5.00	96.1	75-125
Sodium	10,200		50.0	10,000	102	75-125
Vanadium	40.4		2.0	40.0	101	75-125
Zinc	93.9		2.0	100	93.9	75-125

Matrix Spike (B3D3007-MS1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Aluminum	6,250		12.2	122	3,700	NR #	75-125
Barium	468		1.2	244	293	71.6 #	75-125
Beryllium	6.4		0.6	6.11	0.2	103	75-125
Cadmium	6.6		0.6	6.11	0.6	98.6	75-125
Calcium	14,700		18.3	12,200	1,620	107	75-125
Chromium	62.5		1.2	48.9	11.1	105	75-125
Cobalt	25.4		2.4	24.4	1.5	97.9	75-125
Copper	59.4		2.4	48.9	9.5	102	75-125
Iron	6,290		3.1	122	5,710	473 #	75-125
Magnesium	13,000		18.3	12,200	226	104	75-125
Manganese	186		0.6	48.9	137	99.8	75-125
Nickel	50.2		2.4	48.9	2.8	96.9	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3007 **Sample Type: Solid**

Matrix Spike (B3D3007-MS1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets (Continued)

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Potassium	13,300		122	12,200	366	106	75-125
Silver	6.0		1.2	6.11	0.6	87.8	75-125
Sodium	12,800		61.1	12,200	255	103	75-125
Vanadium	61.5		2.4	48.9	11.5	102	75-125
Zinc	205		2.4	122	116	72.9 #	75-125

Matrix Spike Dup (B3D3007-MSD1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	7,030		10.8	108	3,700	NR #	75-125	11.7	20
Barium	501		1.1	215	293	97.0	75-125	6.96	20
Beryllium	5.8		0.5	5.38	0.2	105	75-125	10.2	20
Cadmium	6.0		0.5	5.38	0.6	100	75-125	10.1	20
Calcium	13,000		16.1	10,800	1,620	105	75-125	12.6	20
Chromium	63.3		1.1	43.1	11.1	121	75-125	1.28	20
Cobalt	22.9		2.2	21.5	1.5	99.3	75-125	10.5	20
Copper	54.0		2.2	43.1	9.5	104	75-125	9.41	20
Iron	7,360		2.7	108	5,710	NR #	75-125	15.8	20
Magnesium	11,600		16.1	10,800	226	106	75-125	11.0	20
Manganese	230		0.5	43.1	137	216 #	75-125	21.2 #	20
Nickel	44.8		2.2	43.1	2.8	97.4	75-125	11.5	20
Potassium	11,900		108	10,800	366	107	75-125	11.4	20
Silver	5.2		1.1	5.38	0.6	85.7	75-125	13.3	20
Sodium	11,700		53.8	10,800	255	106	75-125	9.52	20
Vanadium	59.8		2.2	43.1	11.5	112	75-125	2.88	20
Zinc	223		2.2	108	116	99.6	75-125	8.48	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6010 - ICP - Quality Control

Batch: B3D3007 **Sample Type: Solid**

Reference (B3D3007-SRM1)

Prepared: 4/29/2013 Analyzed: 5/16/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	99.2		10.0	115		86.3	47.6-152		
Barium	1.5		1.0	1.60		94.0	62.5-137		
Beryllium	4.7		0.5	4.90		95.6	61.2-138		
Cadmium	9.9		0.5	10.9		90.6	70.6-128		
Calcium	43,800		14.9	44,200		99.2	68.6-131		
Chromium	25.3		1.0	27.1		93.4	68.3-131		
Cobalt	34.4		2.0	37.4		92.0	64.7-135		
Copper	1,590		2.0	1,770		89.9	74.6-126		
Iron	6,000		2.5	6,470		92.7	66.2-133		
Magnesium	27,200		14.9	29,200		93.1	70.2-129		
Manganese	56.0		0.5	61.0		91.8	68.2-132		
Nickel	14.3		2.0	16.3		88.0	55.2-145		
Potassium	34.7		99.6	39.7		87.4	0-215		
Silver	4.6		1.0	5.90		78.4	45.8-154		
Sodium	22.6		49.8	72.5		31.1	0-298		
Vanadium	16.6		2.0	17.6		94.1	65.9-134		
Zinc	40.7		2.0	47.5		85.6	43.2-156		

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 7470A/7471 - CVAAS - Quality Control

Batch: B3E0101 **Sample Type: Solid**

Blank (B3E0101-BLK1)

Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit
Mercury	U		0.06

LCS (B3E0101-BS1)

Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Mercury	0.4		0.06	0.400	102	75-125

Matrix Spike (B3E0101-MS1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Mercury	0.4		0.07	0.435	0.03	96.3	75-125

Matrix Spike Dup (B3E0101-MSD1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury	0.3		0.05	0.321	0.03	98.9	75-125	25.5 #	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 7470A/7471 - CVAAS - Quality Control

Batch: B3E0101 **Sample Type: Solid**

Reference (B3E0101-SRM1)

Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury	3.2		0.6	3.59		89.9	51.8-148		

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 7470A/7471 - CVAAS - Quality Control

Batch: B3E0102 **Sample Type: Liquid**

Blank (B3E0102-BLK1)

Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit
Mercury	U		0.200

LCS (B3E0102-BS1)

Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Mercury	1.00		0.200	1.00	100	75-125

Matrix Spike (B3E0102-MS1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Mercury	1.02		0.200	1.00	0.080	94.0	75-125

Matrix Spike Dup (B3E0102-MSD1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 4/29/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury	1.10		0.200	1.00	0.080	102	75-125	7.55	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS - Quality Control

Batch: B3D3006 **Sample Type: Liquid**

Blank (B3D3006-BLK1)

Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit
Antimony	U		5.0
Arsenic	U		5.0
Lead	U		5.0
Selenium	U		5.0
Thallium	U		5.0

LCS (B3D3006-BS1)

Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Antimony	203		5.0	200	102	85-115
Arsenic	197		5.0	200	98.4	85-115
Lead	199		5.0	200	99.6	85-115
Selenium	199		5.0	200	99.3	85-115
Thallium	207		5.0	200	104	85-115

Matrix Spike (B3D3006-MS1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Antimony	190		5.0	200	0.6	94.9	70-130
Arsenic	206		5.0	200	4.6	101	70-130
Lead	209		5.0	200	11.4	98.8	70-130
Selenium	206		5.0	200	2.0	102	70-130
Thallium	204		5.0	200	1.5	101	70-130

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS - Quality Control

Batch: B3D3006 **Sample Type: Liquid**

Matrix Spike Dup (B3D3006-MSD1)

Source: 1304031-03 Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result µg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	194		5.0	200	0.6	96.8	70-130	2.00	20
Arsenic	208		5.0	200	4.6	102	70-130	0.74	20
Lead	213		5.0	200	11.4	101	70-130	1.86	20
Selenium	205		5.0	200	2.0	102	70-130	0.49	20
Thallium	208		5.0	200	1.5	103	70-130	2.30	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS - Quality Control

Batch: B3D3008 **Sample Type: Solid**

Blank (B3D3008-BLK1)

Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit
Antimony	U		0.5
Arsenic	U		0.5
Lead	U		0.5
Selenium	U		0.5
Thallium	U		0.5

LCS (B3D3008-BS1)

Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Antimony	20.4		0.5	20.0	102	85-115
Arsenic	20.1		0.5	20.0	100	85-115
Lead	19.4		0.5	20.0	97.0	85-115
Selenium	20.1		0.5	20.0	101	85-115
Thallium	19.6		0.5	20.0	98.1	85-115

Matrix Spike (B3D3008-MS1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Antimony	15.9		0.6	22.5	0.7	67.5 #	75-125
Arsenic	27.9		0.6	22.5	6.5	95.0	75-125
Lead	75.8		0.6	22.5	56.6	85.4	75-125
Selenium	22.4		0.6	22.5	0.5	97.3	75-125
Thallium	22.1		0.6	22.5	0.3	97.1	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by EPA Method 6020 - ICP MS - Quality Control

Batch: B3D3008 **Sample Type: Solid**

Matrix Spike Dup (B3D3008-MSD1)

Source: 1304030-01 Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result mg/Kg dry	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	16.5		0.6	23.0	0.7	69.1 #	75-125	4.05	20
Arsenic	27.9		0.6	23.0	6.5	93.2	75-125	0.03	20
Lead	63.3		0.6	23.0	56.6	29.3 #	75-125	18.0	20
Selenium	23.1		0.6	23.0	0.5	98.7	75-125	3.24	20
Thallium	23.1		0.6	23.0	0.3	99.5	75-125	4.23	20

Reference (B3D3008-SRM1)

Prepared: 4/29/2013 Analyzed: 5/1/2013

Targets

ANALYTE	Result mg/Kg wet	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	70.9		2.0	66.0		107	41.8-157		
Arsenic	246		2.0	253		97.0	60.8-139		
Lead	54.9		2.0	56.9		96.5	72.7-127		
Selenium	11.1		2.0	10.0		111	41-159		
Thallium	9.9		2.0	9.50		104	30.5-169		

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248



OFFICIAL CHAIN OF CUSTODY RECORD

PROJ. NO. | PROJECT NAME: EXPLO SYSTEMS | CAMP MINDEN, LA

SAMPLERS: (Signature) (Paul D. James)

STA. NO.	DATE	TIME	COMP	GRAB	STATION LOCATION	NO. OF CON-TAINERS	ABN (8270) TCLP (HOLD)	TAL ABN (HOLD)	TAL METALS (ICP 120)	TCLP METALS (HOLD)	REMARKS (X) = HOLD
1	4/17/13	10:40		X	SS-01	6	X (X)	X (X)	(X)		Tag No: 304400, 304401, 304406, 304407
2	4/17/13	11:15		X	SS-02	6	X (X)	X (X)	(X)		Tag No: 304405, 304404, 304411, 304410
3	4/17/13	14:15		X	SS-03	6	X (X)	X (X)	(X)		Tag No: 304408, 304414, 304415, 304409
4	4/17/13	14:45		X	SS-04	6	X (X)	X (X)	(X)		Tag No: 304413, 304412, 304419, 304418
5	4/17/13	15:00		X	SS-05	6	X (X)	X (X)	(X)		Tag No: 304422, 304423, 304417, 304416
6	4/17/13			X	SS-04 MS	4	X (X)	X (X)	(X)		MATRIX SPIKE
7	4/17/13			X	SS-04 MSD	4	X (X)	X (X)	(X)		MATRIX SPIKE DUPLICATE
8	4/17/13	14:25		X	SS-DUP	6	X (X)	X (X)	(X)		Tag No 304430, 304431, 304432, 304433

Relinquished by: (Signature) Date / Time 4/17/13 17:00 Received by: (Signature) UPS

Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature)

Relinquished by: (Signature) Date / Time Received for Laboratory by: (Signature) Date / Time 4/18/13 9:45 Remarks ① HOLD ON TCLP ABN & TCLP METALS, ② RUN ON METALS INCLUDE Hg.

Shipped by: Airbill Number:

Distribution: White Accompanies Shipment; Pink to Coordinator Field Files; Green to Report; Yellow Returns with Warrant

EPA 7500-53 (11/96)

6-08259

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248



ENVIRONMENTAL PROTECTION AGENCY

OFFICIAL
CHAIN OF CUSTODY RECORD

PROJ. NO. | PROJECT NAME: EXPLO SYSTEMS | CAMP MINDEN, LA

SAMPLERS: (Signature) (PAUL D. JAMES)

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	ABN (8270) (HOLD)	TCLP ABN (HOLD)	TAL METALS + Hg (6010)	TCLP METALS (HOLD)	REMARKS (X) = HOLD
6	4/18/13	0925		X	SS-06 (SOIL)	6	X (X)	X (X)			TAG Nos. 400250 → 400255
7	4/18/13	0935		X	SS-07 (SOIL)	6	X (X)	X (X)			TAG Nos 400256 → 400261
9	4/18/13	1050		X	WS-01 (SURFACE WATER)	4	X (X)	X (X)			TAG Nos 400262 → 400265

Relinquished by: (Signature) | Date / Time 4/18/13 1700 | Received by: (Signature) UPS. | Relinquished by: (Signature) | Date / Time | Received by: (Signature)

Relinquished by: (Signature) | Date / Time | Received by: (Signature) | Relinquished by: (Signature) | Date / Time | Received by: (Signature)

Relinquished by: (Signature) | Date / Time | Received for Laboratory by: (Signature) | Date / Time 4/19/13 12:00 | Remarks: Sample Temp = 8°C

Shipped by: UPS | Airbill Number: NOT KNOWN.

HOLD ON ALL TCLP SAMPLES
RUN ON METALS INCLUDE Hg.

Distribution: White Accompanies Shipment; Pink to Coordinator Field Files;
Green to Report; Yellow Returns with Warrant

EPA 7500-53
(11/85)

6 – 08258

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Notes and Definitions

RL	The reporting limit for this analyte was raised because absence or presence at the routine or lower value could not be verified"
R	The presence or absence of the analyte can not be determined from the data due to severe quality control problems. The data are rejected and considered unusable.
J	The identification of the analyte is acceptable; the reported value is an estimate.
A	This sample was extracted at a single acid pH.
HTS	Sample was prepared and/or analyzed past recommended holding time. Concentrations should be considered minimum values.
ABN	Acid Base Neutrals (Semivolatile Compounds)
AES	Atomic Emission Spectrometer
BS	Blank Spike
CVAA	Cold Vapor Atomic Absorption
DCB	Decachlorobiphenyl
ECD	Electron Capture Detector
GC	Gas Chromatograph
ICP	Inductively Coupled Plasma
ISTD	Internal Standard
LCS	Laboratory Control Sample
MS	Mass Spectrometer
MS/MSD	Matrix Spike/Matrix Spike Duplicate
NA	Not Applicable
NPD	Nitrogen Phosphorous Detector
NR	Not Reported
PCB	Polychlorinatedbiphenyl
RL	Reporting Limit

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

RT	Retention Time
TCLP	Toxicity Characteristic Leaching Procedure
TCMX	Tetrachloro-meta-xylene
U	Undetected
VOA	Volatile Organic Analysis
#	Out of QC limits

Initial pressure in air analyses is the pressure at which the canister was received in psia (pounds *per* square inch absolute pressure).

The pH reported for Volatile liquid samples was tested using a 0-14 pH indicator strip for the purpose of verifying chemical preservation.

The statistical software used for the reporting of toxicity data is ToxCalc 5.0.32, Environmental Toxicity Data Analysis System 1994-2007 Tidepool Scientific Software.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Laboratory

Environmental Services Branch
10625 Fallstone Road, Houston, TX 77099
Phone: (281)983-2100 Fax: (281)983-2248

Final Analytical Report

Site Name ----------Explo

Sample Collection Date(s)-- 04/17/13

Contact---------- Paul James (6EN-HC)

Report Date---------- 06/17/13

Project #---------- 13RCRA092

Work Order(s)---------- 1304030

Analyses included in this report:

Metals TCLP ICP 1311/6010B (Pb)

Report Narrative

Sample Management:

This report contains the TCLP Lead results only. The Semi-volatile and Total Metals results were previously reported.

TCLP:

Lead extracts and associated QC were analyzed at a 1:5 dilution due to high sodium concentrations.

Standard procedures for quality assurance and quality control were followed in the analysis and reporting of the sample results. The results apply only to the samples tested. This final report should only be reproduced in full.

Reporting limits are adjusted for sample size and matrix interference.

Report Approvals:

Richard McMillin
Region 6 Laboratory Manager

David Neleigh
Region 6 Laboratory Branch Chief

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Environmental Services Branch Laboratory

10625 Fallstone Road
Houston, Texas 77099

Sample Receipt and Disposal

Site Name: Explo Project Number: 13RCRA092

Data Management Coordinator: Christy Warren

_____ / / _____

Data Management Coordinator Signature Date

Date Transmitted: _____/_____/_____

Please have the U.S. EPA Project Manager/Officer call the Data Management Coordinator at 3-2137 for any comments or questions.

Please sign and date this form below and return it with any comments to:

Christy Warren
Data Management Coordinator
Region 6 Laboratory
6MD-HS

_____/_____/_____

Received by and Date

Comments:

The laboratory routinely disposes of samples 90 days after all analyses have been completed. If you have a need to hold these samples in custody longer than 90 days, please sign below.

_____ _____

Signature Date

Please provide a reason for holding:

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Sample Type	Date Collected	Date Received
2	1304030-02	Solid	4/17/13 11:15	04/18/13 09:45
5	1304030-05	Solid	4/17/13 15:00	04/18/13 09:45

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

TCLP Metals by EPA Method 1311/6010-ICP

Lab ID: 1304030-02 **Station ID: 2**

Batch: B3F0413
Sample Type: Solid
Batch Matrix: Solid
Date Collected: 04/17/13
Sample Vol: 50ml
TCLP Prepared: 6/3/13
Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Lead (7439-92-1)	U		0.2	5	06/04/13	06/12/13

ts

TCLP Metals by EPA Method 1311/6010-ICP

Lab ID: 1304030-05 **Station ID: 5**

Batch: B3F0413
Sample Type: Solid
Batch Matrix: Solid
Date Collected: 04/17/13
Sample Vol: 50ml
TCLP Prepared: 6/3/13
Sample Qualifiers:

Targets

Analyte (CAS Number)	Result mg/L	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Lead (7439-92-1)	**2.1**		0.2	5	06/04/13	06/12/13

ts

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

TCLP Metals by EPA Method 1311/6010-ICP - Quality Control

Batch: B3F0413 **Sample Type: Solid**

Blank (B3F0413-BLK1)

Prepared: 6/4/2013 Analyzed: 6/12/2013

Targets

ANALYTE	Result mg/L	Analyte Qualifiers	Reporting Limit
Lead	U		0.03

Blank (B3F0413-BLK2)

Prepared: 6/4/2013 Analyzed: 6/12/2013

Targets

ANALYTE	Result mg/L	Analyte Qualifiers	Reporting Limit
Lead	U		0.03

LCS (B3F0413-BS1)

Prepared: 6/4/2013 Analyzed: 6/12/2013

Targets

ANALYTE	Result mg/L	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Lead	0.3		0.03	0.400	81.4	75-125

Matrix Spike (B3F0413-MS1)

Source: 1304030-05 Prepared: 6/4/2013 Analyzed: 6/12/2013

Targets

ANALYTE	Result mg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Lead	6.8		0.2	5.00	2.1	94.1	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

TCLP Metals by EPA Method 1311/6010-ICP - Quality Control

Batch: B3F0413 **Sample Type: Solid**

Matrix Spike Dup (B3F0413-MSD1)

Source: 1304030-05 Prepared: 6/4/2013 Analyzed: 6/12/2013

Targets

ANALYTE	Result mg/L	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Lead	6.7		0.2	5.00	2.1	93.2	75-125	0.72	20

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248



OFFICIAL CHAIN OF CUSTODY RECORD

PROJ. NO. | PROJECT NAME: EXPLO SYSTEMS | CAMP MINDEN, LA

SAMPLERS: (Signature) (Paul D. James)

STA. NO.	DATE	TIME	COMP	GRAB	STATION LOCATION	NO. OF CON-TAINERS	ABN (8270) TCLP (HOLD)	TAL ABN (HOLD)	TAL METALS (Hold 120)	TCLP METALS (Hold)	REMARKS (X) = HOLD
1	4/17/13	10:40		X	SS-01	6	X (X)	X (X)	(X)		Tag No: 304400, 304401, 304406, 304407
2	4/17/13	11:15		X	SS-02	6	X (X)	X (X)	(X)		Tag No: 304405, 304404, 304411, 304410
3	4/17/13	14:15		X	SS-03	6	X (X)	X (X)	(X)		Tag No: 304408, 304414, 304415, 304409
4	4/17/13	14:45		X	SS-04	6	X (X)	X (X)	(X)		Tag No: 304413, 304412, 304419, 304418
5	4/17/13	15:00		X	SS-05	6	X (X)	X (X)	(X)		Tag No: 304422, 304423, 304417, 304416
6	4/17/13			X	SS-04 MS	4	X (X)	X (X)	(X)		MATRIX SPIKE
7	4/17/13			X	SS-04 MSD	4	X (X)	X (X)	(X)		MATRIX SPIKE DUPLICATE
8	4/17/13	14:25		X	SS-DUP	6	X (X)	X (X)	(X)		Tag No 304430, 304431, 304432, 304433

Relinquished by: (Signature) Date / Time 4/17/13 17:00 Received by: (Signature) UPS

Relinquished by: (Signature) Date / Time Received by: (Signature)

Relinquished by: (Signature) Date / Time Received for Laboratory by: (Signature) Date / Time 4/18/13 9:45

Shipped by: Airbill Number:

Relinquished by: (Signature) Date / Time Received by: (Signature)

Relinquished by: (Signature) Date / Time Received by: (Signature)

Relinquished by: (Signature) Date / Time Received by: (Signature)

Remarks
① HOLD ON TCLP ABN & TCLP METALS.
② RUN ON METALS INCLUDE Hg.

Distribution: White Accompanies Shipment; Pink to Coordinator Field Files; Green to Report; Yellow Returns with Warrant

EPA 7500-53 (11/96)

6-08259

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Notes and Definitions

A	This sample was extracted at a single acid pH.
HTS	Sample was prepared and/or analyzed past recommended holding time. Concentrations should be considered minimum values.
ABN	Acid Base Neutrals (Semivolatile Compounds)
AES	Atomic Emission Spectrometer
BS	Blank Spike
CVAA	Cold Vapor Atomic Absorption
DCB	Decachlorobiphenyl
ECD	Electron Capture Detector
GC	Gas Chromatograph
ICP	Inductively Coupled Plasma
ISTD	Internal Standard
LCS	Laboratory Control Sample
MS	Mass Spectrometer
MS/MSD	Matrix Spike/Matrix Spike Duplicate
NA	Not Applicable
NPD	Nitrogen Phosphorous Detector
NR	Not Reported
PCB	Polychlorinatedbiphenyl
RL	Reporting Limit
RT	Retention Time
TCLP	Toxicity Characteristic Leaching Procedure
TCMX	Tetrachloro-meta-xylene
U	Undetected

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

VOA Volatile Organic Analysis

Out of QC limits

Initial pressure in air analyses is the pressure at which the canister was received in psia (pounds *per* square inch absolute pressure).

The pH reported for Volatile liquid samples was tested using a 0-14 pH indicator strip for the purpose of verifying chemical preservation.

The statistical software used for the reporting of toxicity data is ToxCalc 5.0.32, Environmental Toxicity Data Analysis System 1994-2007 Tidepool Scientific Software.

EPA REGION 6 ENFORCEMENT DIVISION
INSPECTION REPORT

FRS #:	**110043230928 & 110003363583**		D&B #	**063822204**
Media #:	**LAR000072223 & LAR000032607**		Permit #	**LAR000072223-OP-1**
Inspection Type:	**RCRA Corrective Action Inspection – USEPA Lead with Env. Sampling**			
Inspection Date:	**April 15-18, 2013**			
Company Name:	**EXPLO SYSTEMS, INCORPORATED**			
Facility Name:	**S-LINE - EXPLO SYSTEMS, INCORPORATED**			
Physical Location:	**1600 Java Road (S-Line), Camp Minden**			
	Minden, Louisiana 71055			
Mailing Address:	**1600 Java Road**			
	Minden, Louisiana 71055			
County/Parish:	**Webster Parish**			
SIC Code:	2892 (Explosives), 3483 (Ammunition), 8748 (Business consulting, nec)			
NAICS Code:	32592, 56211, 54171, and 541618			
Reg Programs (Ex: SIP, Title V):	RCRA Program / § 3002, § 3004, § 3005, and § 3010			
Facility Representatives:	Mr. Terry Wright		V.P. of Operations	318-382-8700
	Mr. C. Ferris Callihan		Dir. of Support Tech.	318-470-9433
	Mr. Cliff Morrison		Dir. of Operations	318-402-7292
EPA Inspectors:	Mr. Paul James	6EN-HC	Enforcement Officer	214-665-6445
	Mr. Charles Barnes	6EN-HM	Enforcement Officer	214-665-6535
State Inspectors:	Mr. Michael Miller, et.al.	LDEQ - OEA	Env. Scientist	225-219-3038
EPA Lead Inspector Signature/Date				
	Paul James, Enforcement Officer			Date
Peer Reviewer Signature/Date:				
	William Mansfield, Enforcement Officer			Date
Enforcement Officer Signature/Date				
	Charles Barnes, Enforcement Officer			Date
Supervisor Signature/Date				
	Guy Tidmore, Section Chief			Date

Section I – INTRODUCTION

Purpose of the Inspection

The purpose of the visit to Explo Systems, Inc. (Explo) facility in Minden, Louisiana was to conduct a Resource Conservation and Recovery Act (RCRA) Inspection. The inspection was conducted congruently in two sections: Compliance Evaluation Inspection (CEI), which was led by EPA Region 6 Hazardous Waste Compliance Enforcement Section (6EN-HE), and Corrective Action Inspection (CAI) which was conducted and led by the EPA Region 6 Hazardous Waste Corrective action and Compliance Section (6EN-HC). Both sections were to visually assess current environmental conditions at the facility, and to gain an understanding of the facility's processes and waste management practices.

Note: This RCRA CAI Report is a supplement to the 2013 RCRA CEI Report. For compliance concerns and operational depictions, please refer to the CEI report.

EPA Region 6 inspectors Ms. Joyce Johnson, Mr. John Penland and Mr. Paul James (Myself) arrived at Camp Minden in the afternoon of April 15, 2013 for an announced inspection. Prior to the inspection, we first met with LDEQ inspectors Mr. Michael Miller, Mr. Kevin O'Brien and Mr. Theron Megers along with Sgt. John Wyles of the Louisiana State Police. During the time of the inspection, the facility was under state control due to improper storage of a military propellant, and Sgt. Wyles was the on-scene commander. This initial meeting was to discuss the purpose, logistics and limitations of the inspections, the overall setting/circumstances at the facility, and health and safety concerns.

After the initial meeting with Officer Wyles, the inspection team (EPA and LDEQ) went to Explo's laboratory building to meet with Mr. Terry Wright (Explo's Vice President of Operations) and Mr. C. Ferris Callihan (Explo's Director of Support Technologies) for the opening inspection meeting. All EPA inspectors presented their credentials to Mr. Wright and Mr. Callihan. I informed them that EPA with the assistance of LDEQ was here to conduct a RCRA inspection and to note any concerns regarding RCRA compliance regulations, RCRA corrective action regulations, and the management of the facility's hazardous waste operating permits.

I explained that Mr. Penland would be conducting a RCRA CEI to assess the facilities compliance with state and federal regulations concerning waste generation and handling, while I would be conducting a RCRA CAI to assess the environmental conditions at the site and to determine if any potential release(s) of hazardous constituents from the facility's operations may have occurred. I handed Mr. Wright a copy of the RCRA Section 3007 that explains EPA's authority to conduct the inspection. Additionally, I explained Explo's right to claim confidential business information (CBI). CBI was later claimed during the CEI inspection concerning portions of their operational practices. These practices are not depicted in this report.

Facility Description

Explo's facility is a munitions demilitarization facility which resides as a lease holder within a portion of Camp Minden. Camp Minden, formerly known as the Louisiana Army Ammunition Plant, was a military installation comprising approximately 14,995 acres of land. It is located near Doyline, Louisiana in Webster and Bossier Parishes. In 1941, the United States government acquired ownership of the Camp Minden property. The installation was subsequently constructed and used by the U.S. Army to load, assemble and pack (LAP) munitions and manufacture ammunition metal parts. Camp Minden was transferred from the Federal Government to the State of Louisiana in January 2005. At the time of the transfer there were 22 commercial tenants leasing property from the Federal Government. One of the conditions of the property transfer was that the State of Louisiana would honor any existing leases in place at that time. Explo was a commercial tenant at the time of the transfer and still is today.

In February 2007, Explo signed a new commercial lease agreement from the State of Louisiana for certain property at Camp Minden, noted during the inspection as the "S-Line" and numerous certified munitions magazines (igloos) within areas L-2 and L-3, as shown below:



***Figure 1**: Facility location map of Camp Minden with S-Line, L-2 and L-3 areas noted within.*
Base Map Source: Google Maps (www.maps.google.com)

The S-Line is approximately 110 acres and consists of numerous buildings that are used for the purpose of conducting demilitarization operations under DoD contract for the demilitarization of D533 Charges, Propellant, 155mm, M 119A2, and Explo's subsequent commercial recycling operations of the demilitarized propellant. The magazines are used to store Explo's end product and potentially hazardous waste as defined in the permit.

Explo processes, stores, and disposes of military munitions items through contracts with the Department of Defense and other explosives producing/manufacturing activities. The processing activities may change the physical shape and or appearance by removing the materials from their original containers/components. Those materials are then processed for reuse/recycling by other industries such as mining and/or construction. Residual materials may be disposed of at off-site facilities. Explo Systems has a RCRA Open Burn/Open Detonation permit with the state of Louisiana. For operational depictions, please refer to the CEI report.

Environmental Setting:

Northwest Louisiana lies within the East Texas Timber Belt subdivision of the West Gulf Coastal Plain physiographic province. Camp Minden is located in an area with three major landform types, including uplands in the west, slightly rolling low land in the east, and the ancient Red River floodplain underlying the central portion of the installation. The topography is primarily the result of erosion caused by surface drainage to the tributaries of the Red River and has generated a relatively level to moderately rolling topography.

Surface Hydrology

All surface water runoff from Camp Minden exits along the southern boundary by four natural streams that originate north of the plant. Bayou Dorcheat forms the eastern boundary of the Camp, while Clarke Bayou forms the western boundary. Boone Creek and its tributaries drain the eastern and central portions and flow into Bayou Dorcheat. Caney Branch and the man-made Unnamed Ditch drain the western portions then flow into Clarke Bayou. Both Clarke Bayou and Bayou Dorcheat flow into Lake Bistineau south of the Camp.

Explo is located on the S-Line, in the center of a broad topographic high that forms a drainage divide between Clarke Bayou, 2.5 miles to the west, and Boone Creek, 2.5 miles to the east. Surface drainage predominantly flows to the east. Most of the surface water runoff from the S-Line has been directed via man-made ditches to tributaries of Boone Creak to the east. Surface drainage to the north and northwest (north side of Java Road) is poor and standing water was noted during the inspection.

Geology

The geologic units underlying Camp Minden consist of unconsolidated sediments ranging in age from Eocene to Pleistocene. The major strata are the Pleistocene terrace deposits (alluvium), and the Tertiary Claiborne Group Formations (Sparta Sand, Cane River, and Carrizo Sand), and the Tertiary Wilcox Group.

TABLE 1
Generalized Geologic Column, Northeast Louisiana

System	Stratigraphic Unit		Description and typical thickness	Hydrologic unit
Quaternary	Terrace deposits (undifferentiated)		Sand, gravel, and some clay. Limited to western part of study area. Thickness probably about 50 ft.	Terrace Aquifer
Tertiary	Claiborne Group	Cook Mountain Formation	Clay, partly sandy; glauconitic. Thickness about 100 to 200 ft.	Confining bed (partially)
		Sparta Sand	Interbedded clay and fine to medium sand; lignitic. Thickness about 400 to 700 ft. Unit is 20 to 100 percent sand.	Sparta Aquifer
		Cane River Formation	Clay; glauconitic, lignitic. Thickness about 100 to 300 ft.	Confining bed
		Carrizo Sand	Fine to coarse sand; discontinuous. Thickness to 150 ft.	Wilcox-Carrizo Aquifer
	Wilcox Group	Undifferentiated	Interbedded clay, sand, silt; lignitic. Thickness about 390 to 850 ft. Unit is 20 to 30 percent sand.	
	Midway Group	Undifferentiated	Dense clay. Thickness about 600 ft.	Confining bed

The Pleistocene terrace deposits cover the entire surface of Camp Minden. This uppermost geologic stratum is an alluvium consisting of inter-layered, discontinuous sand seams, silt, and clay.

These sediments represent floodplain and fluvial deposits of the ancestral Red River and have been classified into four separate terraces. Camp Minden is positioned on the Montgomery terrace, the second youngest terrace in this classification. The thickness of the Pleistocene section at Camp Minden ranges from 30 to 150 feet and rests unconformably on top of the Claiborne Group. Formations at the installation had been eroded before or during deposition of the terrace strata, resulting in a structural unconformity. At Camp Minden, the Claiborne Group consists of the Sparta Sand, Cane River, and Carrizo Sand formations.

A Remedial Investigation (RI) was conducted by IT in 1999 which included the S-Line. Each sampling location was chosen in conjunction with the Army Environmental Center (AEC) and EPA. For the S-Line, the nature and extent of contamination was characterized by collecting and testing 107 soil samples. Explosives detected in surface samples (0-6 inches below ground surface) at S-Line were greater than industrial screening levels. Explosives detected in subsurface samples (> 6 inches below ground surface) at S-Line were less than industrial screening levels. VOC were not detected at concentrations greater than industrial screening

levels. SVOC were detected in one sample at concentrations greater than industrial screening levels. Arsenic was detected in surface and subsurface samples at concentrations exceeding the industrial screening level. Arsenic concentrations were attributed to approved pesticide usage and not process-related impacts.

Hydrogeology

The shallow aquifer underlying Camp Minden consists of Pleistocene terrace deposits that form the entire surface of installation. Groundwater in the Upper Terrace aquifer generally exists under water-table (unconfined) conditions at depths typically 25 feet below ground surface. The direction of groundwater flow in the Upper Terrace aquifer is controlled primarily by topography and the surface water system. At S-Line the groundwater flow direction is towards the east. Although terrace aquifer production wells are not located at Camp Minden, the aquifer supports production wells off the installation. Domestic wells using the terrace aquifer have been completed in the surrounding towns of Haughton, Princeton, Dixie Inn, Minden, Sibley, and Doyline.

Directly beneath the Upper Terrace aquifer is the Lower Terrace/Sparta Sand aquifer, an important aquifer in the north- central portion of the state and the principal source of drinking water for the town of Minden, located 2 miles northeast of Camp Minden. However, the Lower Terrace/Sparta Sand thins rapidly from Minden westward into the installation. Where the Lower Terrace/Sparta Sand aquifer exists at Camp Minden, a hydraulic communication exists between this aquifer and the overlying Terrace deposits, resulting in unconfined conditions.

The Wilcox Group/Carrizo Sand aquifer is the principal aquifer supplying groundwater to Camp Minden. The average depth of the formation ranges from 100 feet below ground surface in the southwestern portion of the installation to 500 feet below ground surface in the northeastern portion. A groundwater gradient of 50 feet per mile toward the northeast exists in the Wilcox/Carrizo aquifer. Camp Minden had previously derived all of its water for plant operation from wells screened in sand layers of the Wilcox aquifer.

Camp Minden was placed on the National Priorities List in 1989, has a construction complete date of 2010, and groundwater monitoring activities (monitoring natural attenuation) are ongoing.

Section II – RCRA CORRECTIVE ACTION INSPECTION OBSERVATIONS

On the morning of April 16, 2013, I arrived on site with Ms. Johnson, and Mr. Penland to commence the facility tour/inspection with LDEQ inspectors (Mr. Miller, Mr. O'Brien, Mr. Megers and Ms. Lane), and Mr. Wright. Prior to the tour, the inspection team met with Col. Ronald Stuckey and Sgt. Wyles with his team of state police officers to define the roles and tasks for the facility tour.

Later that morning, the inspection team met with Mr. Wright and commenced the inspection of the facility. For safety, the inspection team was escorted by the state police who at the time had custody of Explo's property. Under RCRA corrective action, my task during the facility tour was to observe and note (1) any past and current releases of hazardous constituents, (2) potential hazardous constituent pathways, (3) affected media, and (4) receptors in the area. When I noted concerns during the facility tour, the potentially affected media was slated for environmental sampling. Sampling was conducted on April 17-18. Photos were taken during the facility tour as well as during the sampling event. My inspection photos are presented in Appendix A of this report. Satellite images of the sample locations with coordinates are presented in Appendix B. Analytical laboratory reports are presented in Appendix C.

During the inspection, on April 15 (during opening inspection meeting) and April 16, 2013 (during the facility tour), I asked Mr. Wright for all of Explo's spill reports to help focus my inspection. Mr. Wright stated that Explo never had any spills and therefore there are no reports.

During the inspection, several areas were identified as areas of potential releases of hazardous constituents. These areas are listed below:

TABLE 2

Areas of Potential Impact to the Environment

Location No.	Observations
1	**Roll-off Box (No. 4034):** This 40 yard^3 container (22' x 8' x 8') was located on the southeastern corner of the facility road that leads to Building 1624. It was conceived at the time of the inspection, and later confirmed, that the roll-off box contained hazardous wastes. It was also noted that the box was not covered with a tarp and rain water could enter the box and drip out of the leaking rear hatch. At the time of the inspection, a clear liquid, potentially water with hazardous constituents, was dripping onto the ground surface from the rear hatch. A surface soil sample (SS-01) and photographs were taken.
2	**Red Water Concentration Area:** This area is located in Building 1619. During the inspection, a curbed segment of the concrete pad had a crack that appeared on both side of the curb giving evidence of a potential release. Mr. Wright stated to me that Explo did not use this area. Later, Mr. Morrison stated to Mr. Penland that the area was used to concentrate the red water in open 55-gallon steel drums by

	boiling the water using evaporation coils. This process had a potential for spills. A surface soil sample (SS-02) was collected below the crack and photographs were taken.
3	**Roll-off Box (No. 3068):** This 30 yard^3 container (22' x 8' x 6') was located on the south side of Building 1617. It was conceived at the time of the inspection that this container had leaks, noted by some dark colored stains on the ground. Also in the box, a small puddle of pink colored translucent liquid was noted. It was also noted that the box was not covered with a tarp and rain water could enter the box and potentially drip out of the rear hatch. Since the box was on an asphalt surface, a surface soil sample (SS-03) was collected down-gradient and adjacent to the asphalt surface. Photographs were taken.
4	**Drainage Ditch Adjacent to Unprotected M-6 Propellant Storage:** During the inspection it was noted that M-6 Propellant was stored improperly outdoors and was removed in February 2013. Based on previous inspections and satellite imagery (Appendix B), approximately 575 pallets with M-6 propellant was stored on an asphalt drive east of building 1617. Therefore, surface soil sample (SS-04) was collected down-gradient from the drainage ditch adjacent to the asphalt drive/storage area in question. Photographs were taken.
5	**M-6 Propellant on Ground:** During the inspection it was noted that pellets of M-6 Propellant were disposed onto the ground, just outside the eastern door from the crusher line at Building 1617. Surface soil sample (SS-05) and photos were taken in the area of potential impact.
6	**West end of Building/Bunker 1631:** During the inspection it was noted that sand on the ground adjacent to the opening of Building/Bunker 1631 had similar characteristics with the sand inside the building. The sand inside the building was used as burn pit for the disposal of explosive materials (i.e. cluster bombs). Since the sand had similar characteristics, surface soil sample (SS-06) and photos were taken in the area of potential impact.
7	**Inside of Building/Bunker 1631:** During the inspection it was noted that Building/Bunker 1631 was being used as a burn pit for the disposal of explosive materials (i.e. cluster bombs). Inside the building the floor was covered in sand with a center pile of sand with a depression in the middle. Since the sand noted outside of the building was sampled and the integrity of the building's floor was unknown, surface soil sample (SS-07) and photos were taken in the area for sample comparison and potential contaminant impact to the environment.
8	**N/A:** Duplicate sample location for quality assurance/control. Surface soil sample SS-08 is a duplicate of surface soil sample SS-03.
9	**Surface Water Between Roll-off Box (No. 3068) and Unprotected M-6 Propellant Storage:** During the inspection it was noted that standing water was present in a low area between Roll-off Box (No. 3068) and an area where unprotected M-6 Propellant was stored. The water appeared to have drained from both of these areas therefore a surface water sample (WS-01) and photos were taken.

On April 17-19, Charles Barnes (EPA Region 6 Enforcement) joined the inspection team. On April 17-18, Mr. Barnes, Mr. Miller, Mr. O'Brien, and Mr. Megers assisted me in collecting environmental samples at the locations defined in Table 2. All samples were split to provide the facility duplicate samples along with a copy of the Chain of Custody. On April 17, I relinquished the facility's samples to Mr. Morrison, and on April 18, I relinquished the facility's samples to Mr. Callihan. EPA's samples were shipped on ice at the end of each day to EPA's laboratory in Houston Texas via *UPS Next Day Air*.

Samples were analyzed for (1) Acid/Base Neutral extractables (ABN) using EPA Method SW846-8270, (2) Target Analyte List (TAL) Metals using EPA method SW846/6010B/6020, and (3) Mercury using EPA method SW846/7470A/7471A. All analytical results are summarized in Table 3 and compared with LDEQ screening standards. EPA's laboratory reports are provided in Appendices 3 and 4.

Due to the total lead concentrations in surface soil sample SS-02 at 110 mg/kg and sample SS-05 at 963 mg/kg, the laboratory re-ran the samples to determine if the samples exhibit hazardous waste characteristics using EPA's toxicity characteristic leaching procedure (TCLP) 1311/6010-ICP (see Appendix 4). Lead concentration in surface soil samples SS-02 and SS-05 were below TCLP D-list maximum contamination levels (MCLs) at <0.2 mg/L at 2.1 mg/L, respectively.

On the morning of April 19, EPA's inspection team met with Mr. David Tolbert from the U.S. Army and toured the former Explo facility located at Camp Minden's E-Line. This facility was closed and moved to the S-Line due to several explosions and a fire that gutted the facility in August 2006. CEI concerns were noted during the tour and are presented in 2013 RCRA CEI report. For corrective action, no concerns were noted, but it was not a thorough inspection due to time restraints and the majority of the facility was overgrown with small conifer trees.

Later in the day, EPA and LDEQ had an exit briefing/interview with Mr. Wright and Mr. Callihan. This briefing was lead by Mr. Penland and is detailed in his report. No corrective action concerns were discussed during this briefing, but Mr. Wright did request a copy of my inspection report. After the exit briefing and farewells, all members of the inspection team exited the facility.

'Table 3: Analytical Summary Table for ABN 8270 Routine List in Surface Soil and Water

Sample Numbe	1	2	3	4	5	6	7	8 *	9	LDEQ RECAP SCREENING STANDARDS FOR SOIL AND GROUNDWATER			
Sample Locatior	SS-01	SS-02	SS-03	SS-04	SS-05	SS-06	SS-07	SS-DUP	WS-01				
Matrix	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Water	SOIL_SSni	SOIL_SSi	SOIL_SSGW	GW_SS
Units	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/L	mg/Kg	mg/Kg	mg/Kg	mg/L
1,1'-Biphenyl	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	2.30E+02 P	2.30E+02 P	1.90E+02 A	3.00E-02 N
1,2,4-Trichlorobenzene	< 0.642	< 1.74	< 0.649	< 2.16	< 0.577	< 1.54	< 0.499	< 1.96	< 0.0049	6.60E+01 N	1.20E+03 N	1.40E+01 A	7.00E-02 MCL
1,2-Dichlorobenzene	< 0.642	< 1.74	< 0.649	< 2.16	< 0.577	< 1.54	< 0.499	< 1.96	< 0.0049	9.90E+01 N	3.80E+02 P	2.90E+01 A	6.00E-01 MCL
1,3-Dichlorobenzene	< 0.642	< 1.74	< 0.649	< 2.16	< 0.577	< 1.54	< 0.499	< 1.96	< 0.0049	2.10E+00 N	1.80E+01 N	2.10E+00 A	1.00E-02 Q
1,4-Dichlorobenzene	< 0.642	< 1.74	< 0.649	< 2.16	< 0.577	< 1.54	< 0.499	< 1.96	< 0.0049	6.70E+00 C	1.60E+01 C	5.70E+00 A	7.50E-02 MCL
2,4,5-Trichlorophenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	5.30E+02 N	6.60E+03 N	3.20E+02 A	3.70E-01 N
2,4,6-Trichlorophenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	4.00E+01 C	1.70E+02 C	1.30E+00 A	1.00E-02 Q
2,4-Dichlorophenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	1.60E+01 N	2.00E+02 N	1.20E+01 A	1.10E-02 N
2,4-Dimethylphenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	9.30E+01 N	1.10E+03 N	2.00E+01 A	7.30E-02 N
2,4-Dinitrophenol	< 2.57	< 2.32	< 2.6	< 2.87	< 2.31	< 2.05	< 1.99	< 2.61	< 0.0196	7.10E+00 N	6.90E+01 N	1.70E+00 Q	5.00E-02 Q
2,4-Dinitrotoluene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	0.861	< 0.653	< 0.0049	8.90E+00 N	9.80E+01 N	1.00E+00 A	1.00E-02 Q
2,6-Dinitrotoluene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	4.30E+00 N	4.60E+01 N	3.90E-01 A	1.00E-02 Q
2-Chloronaphthalene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	5.00E+02 N	8.30E+03 N	5.00E+02 A	4.90E-02 N
2-Chlorophenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	1.50E+01 N	1.40E+02 N	1.40E+00 A	1.00E-02 Q
2-Methylnaphthalene	< 0.257	< 0.232	< 0.26	< 0.287	< 0.231	< 0.205	< 0.199	< 0.261	< 0.002	2.20E+01 N	1.70E+02 N	1.70E+00 A	6.20E-04 N
2-Methylphenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
2-Nitroaniline	< 1.03	< 0.928	< 1.04	< 1.15	< 0.924	< 0.821	< 0.798	< 1.04	< 0.0079	1.70E+00 Q	1.70E+00 Q	1.70E+00 Q	5.00E-02 Q
2-Nitrophenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
3 &/or 4-Methylphenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
3,3´-Dichlorobenzidine	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	9.70E-01 C	4.20E+00 C	1.80E+00 A	2.00E-02 Q
3-Nitroaniline	< 1.03	< 0.928	< 1.04	< 1.15	< 0.924	< 0.821	< 0.798	< 1.04	< 0.0079	1.30E+01 N	1.40E+02 N	1.70E+00 Q	5.00E-02 Q
4,6-Dinitro-2-methylphenol	< 2.57	< 2.32	< 2.6	< 2.87	< 2.31	< 2.05	< 1.99	< 2.61	< 0.0196				
4-Bromophenyl phenyl ether	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
4-Chloro-3-methylphenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
4-Chloroaniline	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
4-Chlorophenyl phenyl ether	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
4-Nitroaniline	< 1.03	< 0.928	< 1.04	< 1.15	< 0.924	< 0.821	< 0.798	< 1.04	< 0.0079	1.00E+01 N	1.00E+02 N	1.70E+00 Q	5.00E-02 Q
4-Nitrophenol	< 1.67	< 1.51	< 1.69	< 1.87	< 1.5	< 1.33	< 1.3	< 1.7	< 0.0128	3.20E+01 N	3.30E+02 N	2.60E+00 A	5.00E-02 Q
Acenaphthene	< 0.257	< 0.232	< 0.26	< 0.287	< 0.231	< 0.205	< 0.199	< 0.261	< 0.002	3.70E+02 N	6.10E+03 N	2.20E+02 A	3.70E-02 N
Acenaphthylene	< 0.257	< 0.232	< 0.26	< 0.287	< 0.231	< 0.205	< 0.199	< 0.261	< 0.002	3.50E+02 N	5.10E+03 N	8.80E+01 A	1.00E-01 Q

Table 3: Analytical Summary Table for ABN 8270 Routine List in Surface Soil and Water (continued)

Sample Number	1	2	3	4	5	6	7	8 *	9	LDEQ RECAP SCREENING STANDARDS FOR SOIL AND GROUNDWATER			
Sample Location	SS-01	SS-02	SS-03	SS-04	SS-05	SS-06	SS-07	SS-DUP	WS-01				
Matrix	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Water	SOIL_SSni	SOIL_SSi	SOIL_SSGW	GW_SS
Units	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/L	mg/Kg	mg/Kg	mg/Kg	mg/L
Acetophenone	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Anthracene	< 0.257	< 0.232	< 0.26	< 0.287	< 0.231	< 0.205	< 0.199	< 0.261	< 0.002	2.20E+03 N	4.80E+04 N	1.20E+02 A	4.30E-02 W
Atrazine	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Benzaldehyde	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Benzo (a) anthracene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	6.20E-01 C	2.90E+00 C	3.30E+02 A	7.80E-03 Q
Benzo (a) pyrene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	3.30E-01 Q	3.30E-01 Q	2.30E+01 A	2.00E-04 MCL
Benzo (b) fluoranthene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	6.20E-01 C	2.90E+00 C	2.20E+02 A	4.80E-03 Q
Benzo (g,h,i) perylene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Benzo (k) fluoranthene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	6.20E+00 C	2.90E+01 C	1.20E+02 A	2.50E-03 Q
Benzoic acid	< 1.28	< 1.16	< 1.3	< 1.44	< 1.15	< 1.03	< 0.997	< 1.31	< 0.0098				
Benzyl alcohol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Bis(2-chloro-1-methylethyl)ether	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	4.90E+00 C	1.70E+01 C	8.00E-01 Q	5.70E-03 Q
Bis(2-chloroethoxy)methane	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Bis(2-chloroethyl)ether	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	3.30E-01 Q	1.10E+00 C	3.30E-01 Q	5.70E-03 Q
Bis(2-ethylhexyl)phthalate	< 0.642	< 0.58	< 0.649	< 0.718	1.03	< 0.513	< 0.499	< 0.653	< 0.0049	3.50E+01 C	1.70E+02 C	7.90E+01 A	6.00E-03 MCL
Butyl benzyl phthalate	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	2.20E+02 P	2.20E+02 P	2.20E+02 P	7.30E-01 N
Caprolactam	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Carbazole	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049				
Chrysene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	6.20E+01 C	2.90E+02 C	7.60E+01 A	1.60E-03 W
Dibenz (a,h) anthracene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	3.30E-01 Q	3.30E-01 Q	5.40E+02 A	2.50E-03 Q
Dibenzofuran	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	2.90E+01 N	1.50E+02 P	2.40E+01 A	1.00E-02 Q
Diethyl phthalate	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	6.70E+02 P	6.70E+02 P	3.60E+02 A	2.90E+00 N
Dimethyl phthalate	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	1.50E+03 P	1.50E+03 P	1.50E+03 P	3.70E+01 N
Di-n-butyl phthalate	< 0.642	< 0.58	< 0.649	< 0.718	0.66	< 0.513	0.652	< 0.653	< 0.0049				
Di-n-octyl phthalate	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	2.40E+02 N	3.50E+03 N	1.00E+04 P	2.00E-02 W
Fluoranthene	< 0.257	< 0.232	< 0.26	< 0.287	0.56	< 0.205	< 0.199	< 0.261	< 0.002	2.20E+02 N	2.90E+03 N	1.20E+03 A	1.50E-01 N
Fluorene	< 0.257	< 0.232	< 0.26	< 0.287	< 0.231	< 0.205	< 0.199	< 0.261	< 0.002	2.80E+02 N	5.40E+03 N	2.30E+02 A	2.40E-02 N
Hexachlorobenzene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	3.40E-01 C	2.00E+00 C	9.60E+00 A	1.00E-03 MCL
Hexachlorobutadiene	< 0.642	< 1.74	< 0.649	< 2.16	< 0.577	< 1.54	< 0.499	< 1.96	< 0.0049	8.20E-01 N	8.60E+00 N	5.50E+00 A	7.30E-04 N
Hexachlorocyclopentadiene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	1.40E+00 N	9.40E+00 N	1.20E+03 A	5.00E-02 MCL

Table 3: Analytical Summary Table for ABN 8270 Routine List in Surface Soil and Water (continued)

Sample Number	1	2	3	4	5	6	7	8 *	9	LDEQ RECAP SCREENING STANDARDS FOR SOIL AND GROUNDWATER			
Sample Location	SS-01	SS-02	SS-03	SS-04	SS-05	SS-06	SS-07	SS-DUP	WS-01				
Matrix	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Water	SOIL_SSni	SOIL_SSi	SOIL_SSGW	GW_SS
Units	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/L	mg/Kg	mg/Kg	mg/Kg	mg/L
Hexachloroethane	< 0.642	< 1.74	< 0.649	< 2.16	< 0.577	< 1.54	< 0.499	< 1.96	< 0.0049	5.20E+00 N	6.80E+01 N	2.20E+00 A	1.00E-02 Q
Indeno (1,2,3-cd) pyrene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	6.20E-01 C	2.90E+00 C	9.20E+00 A	3.70E-03 Q
Isophorone	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	3.40E+02 C	1.10E+03 C	5.60E-01 A	7.00E-02 C
Naphthalene	< 0.257	< 0.232	< 0.26	< 0.287	< 0.231	< 0.205	< 0.199	< 0.261	< 0.002	6.20E+00 N	4.30E+01 N	1.50E+00 A	1.00E-02 Q
Nitrobenzene	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	2.20E+00 N	2.50E+01 N	3.30E-01 Q	1.90E-03 Q
N-Nitrosodi-n-propylamine	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	3.30E-01 Q	3.30E-01 Q	3.30E-01 Q	1.00E-02 Q
N-Nitrosodiphenylamine	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	9.00E+01 C	4.00E+02 C	2.10E+00 A	1.40E-02 C
Pentachlorophenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	2.80E+00 C	9.70E+00 C	1.70E+00 Q	1.00E-03 MCL
Phenanthrene	< 0.257	< 0.232	< 0.26	< 0.287	0.258	< 0.205	< 0.199	< 0.261	< 0.002	2.10E+03 N	4.30E+04 N	6.60E+02 A	1.80E-01 N
Phenol	< 0.642	< 0.58	< 0.649	< 0.718	< 0.577	< 0.513	< 0.499	< 0.653	< 0.0049	1.30E+03 N	1.50E+04 N	1.10E+01 A	1.80E-01 N
Pyrene	< 0.257	< 0.232	< 0.26	< 0.287	0.627	< 0.205	< 0.199	< 0.261	< 0.002	2.30E+02 N	5.60E+03 N	1.10E+03 A	1.80E-02 N

Notes:

< = The analyte was not detected at or above the reported value.

* = Sample no. 8 is a field duplicate of sample no. 3.

A - Based on algorithm contained in Appendix H.

B - Based on EPA's bio-kinetic and adult lead cleanup level models for lead.

C - Based on carcinogenic health effects.

D - DEQ established background level plus one standard deviation = 11.5.

L - Soil level protective of groundwater for inorganic constituents based on leachability.

L1 - Soil level protective of groundwater for inorganic constituents based on GW 1 because TCLP value not listed. M - Based on EPA's Maximum Contaminant Level (MCL) for drinking water.

N - Based on non-carcinogenic health effects.

P - Soil Saturation Limit is less than health based level thus default to soil saturation limit.

S - Soil level protective of groundwater for inorganic constituents based on the maximum concentration for the beneficial use of sewage sludge.

Table 4: Analytical Summary Table for TAL Metals plus Mercury in Surface Soil and Water

Sample	1	2	3	4	5	6	7	8 *	9	LDEQ RECAP SCREENING STANDARDS FOR SOIL AND GROUNDWATER			
Sample	SS-01	SS-02	SS-03	SS-04	SS-05	SS-06	SS-07	SS-DUP	WS-01				
Matrix	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Water	SOIL_SSni	SOIL_SSi	SOIL_SSGW	GW_SS
Units	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/L	mg/Kg	mg/Kg	mg/Kg	mg/L
Aluminum	3700	8150	7820	7430	7910	3590	1970	6760	1150				
Antimony	0.7	< 0.6	< 0.6	< 0.7	2	< 0.5	< 0.5	< 0.6	< 0.005	3.10E+00 N	8.20E+01 N	1.20E+01 L1	6.00E-03 MCL
Arsenic	6.5	3	8	3.8	6.7	5.2	0.6	7.8	< 0.005	1.20E+01 D	1.20E+01 D	1.00E+02 L	1.00E-02 MCL
Barium	293	69.4	**1200**	75.1	247	192	58.4	**957**	**282**	**5.50E+02** N	1.40E+04 N	2.00E+03 L	**2.00E+00** MCL
Beryllium	< 0.6	< 0.6	0.6	< 0.7	< 0.5	< 0.5	< 0.5	< 0.6	< 0.005	1.60E+01 N	4.10E+02 N	8.00E+00 L1	4.00E-03 MCL
Cadmium	0.6	1.3	2.4	0.8	3.8	< 0.5	< 0.5	2.1	< 0.005	3.90E+00 N	1.00E+02 N	2.00E+01 L	5.00E-03 MCL
Calcium	1620	2150	6940	1360	1000	1290	749	4280	13300				
Chromium	11.1	22.2	17.2	14.1	57.6	5.3	2.4	17.7	< 0.01	1.20E+04 N	3.10E+05 N	1.00E+02 L	1.00E-01 MCL
Cobalt	< 2.5	4.4	4.3	< 3	3.3	2.2	< 1.9	4	< 0.02	4.70E+02 N	1.20E+04 N	4.40E+03 L1	2.20E-01 N
Copper	9.5	131	18.3	27.4	258	2.5	3	19.8	< 0.02	3.10E+02 N	8.20E+03 N	1.50E+03 S	1.30E+00 MCL
Iron	5710	9560	15500	9840	12500	5450	1900	14400	6550				
Lead	56.6	**110**	67.3	46.8	**963**	7.2	5.2	69.1	**11.4**	**4.00E+02** B	1.40E+03 B	**1.00E+02** L	**1.50E-02** MCL
Magnesium	226	383	985	451	317	420	265	382	1240				
Manganese	137	183	450	36	114	142	40.1	339	304				
Mercury	< 0.05	< 0.07	0.1	0.2	7.2	< 0.07	< 0.06	0.1	< 0.0002	2.30E+00 N	6.10E+01 N	4.00E+00 L	2.00E-03 MCL
Nickel	2.8	25.5	6.7	3.6	9.2	2.4	< 1.9	7.1	< 0.02	1.60E+02 N	4.10E+03 N	1.50E+03 L1	7.30E-02 N
Potassium	366	601	1630	475	221	414	144	1410	15400				
Selenium	< 0.6	< 0.6	< 0.6	< 0.7	< 0.5	< 0.5	< 0.5	0.6	< 0.005	3.90E+01 N	1.00E+03 N	2.00E+01 L	5.00E-02 MCL
Silver	< 1.2	< 1.2	< 1.3	< 1.5	< 1	< 1.1	1.4	< 1.3	< 0.01	3.90E+01 N	1.00E+03 N	1.00E+02 L	1.80E-02 N
Sodium	255	67.6	69.5	< 74.3	< 50	< 53.6	< 47.8	< 64.4	2230				
Thallium	< 0.6	< 0.6	< 0.6	< 0.7	< 0.5	< 0.5	< 0.5	< 0.6	< 0.005	1.40E+02 N	1.40E+03 P	3.10E+01 A	1.10E-01 N
Vanadium	11.5	19.6	28.6	22.3	16.9	11.2	7.3	27	< 0.02	5.50E+01 N	1.40E+03 N	5.20E+02 L1	2.60E-02 N
Zinc	116	127	128	88	720	10.8	17.2	155	< 0.02	2.30E+03 N	6.10E+04 N	2.80E+03 S	1.10E+00 N

NOTES:

< = The analyte was not detected at or above the reported value.

* = Sample no. 8 is a field duplicate of sample no. 3.

A - Based on algorithm contained in Appendix H.

B - Based on EPA's bio-kinetic and adult lead cleanup level models for lead.

C - Based on carcinogenic health effects.

D - DEQ established background level plus one standard deviation = 11.5.

L - Soil level protective of groundwater for inorganic constituents based on leachability.

L1 - Soil level protective of groundwater for inorganic constituents based on GW 1 because TCLP value not listed.

M - Based on EPA's Maximum Contaminant Level (MCL) for drinking water.

N - Based on non-carcinogenic health effects.

P - Soil Saturation Limit is less than health based level thus default to soil saturation limit.

S - Soil level protective of groundwater for inorganic constituents based on the maximum concentration for the beneficial use of sewage sludge.

Section III – AREAS OF CONCERN

Most of the concerns noted during the RCRA inspection were compliance based and are presented in the 2013 RCRA CEI report.

Based on visual inspection, corrective action concerns were noted as present in Table 2 and should be addressed if/when the facility becomes operational. Meanwhile, several concerns could be addressed immediately to assure contamination does not enter into the environment:

- The roll-off boxes should be covered and/or the contents of the boxes be disposed of properly to assure that contamination does not enter into the environment.
- All areas where M-6 propellant has been identified and/or disposed to the ground (e.g. outside the eastern door from the crusher line at Building 1617) should be assessed and disposed of properly.
- Analytical results had exceedances with LDEQ RECAP screening standards for soil (SS-03 and SS-05) and surface water (WS-01). These areas should be evaluated and assessed under LDEQ RCAP to determine if and what corrective action may be required.
- All units that are no longer being used (e.g. E-Line's carbon units and frac/separator unit) should be cleaned and closed to reduce the potential of a release into the environment.
- Due to the catastrophic event at E-Line, there was a potential for release of contaminants during the fire/explosions, and some contaminants may still be present in the environment (e.g. friable asbestos).

APPENDIX A

RCRA CORRECTIVE ACTION INSPECTION

PHOTOGRAPHIC LOG

APPENDIX B

SAMPLE LOCATION MAP

APPENDIX C

FINAL ANALYTICAL REPORT

Analyses included in this report:

ABN 8270 Routine List

Metals ICP 6010B

Metals ICP-MS 6020

Metals Mercury 7470A/7471A

Solids, Dry Weight

APPENDIX D

FINAL ANALYTICAL REPORT

Analyses included in this report:

Metals TCLP ICP 1311/6010B (Pb)